

EMOS®

A brand of **legrand®**

Christmas Catalogue 2023



OPTIMAL
PRICE/QUALITY RATIO
OF PRODUCTS

24-HOUR STOCK
AVAILABILITY



Making
Life
Easy



A brand of **legrand**

Making life easy

Our passion is electricity! We enjoy developing, sourcing and delivering electrical products that help our business partners succeed in today's highly competitive marketplace with their optimum price and quality.

For more than 30 years, EMOS companies have offered small household electrical products that are part of everyone's life. Under the EMOS brand there are mainly batteries, light sources and luminaires for domestic and industrial use, extension leads, flashlights, antennas, small electronic devices – multimeters, testers, bells. In five countries, there are over 450 people employed to ensure that our products are of the best quality and get delivered to you, our customers, as quickly as possible. Since 2022 EMOS companies have been part of the multinational Legrand Group.



Direct distributor for the Czech Republic, Slovakia, Hungary, Slovenia and Croatia.

www.emos.eu

EMOS basic philosophy



OPTIMAL PRICE/ QUALITY RATIO OF PRODUCTS

Each of our products is subject to strict quality control by a team of inspection staff directly at the manufacturer's site and then in our own laboratory. We carry out nearly 1,100 tests a year, supervised by 25 specialists



24-HOUR STOCK AVAILABILITY

We offer excellent stock availability of our products and fast delivery to our customers. A total storage area of over 16,000 m² allows us to keep more than 95% of the items in our range in stock and in sufficient inventory at all times.



SPEED AND EASE OF COMMUNICATION

Customers communicate with us in the way that suits them best - through sales representatives, online B2B and B2C portals or by phone. 90 EMOS Group sales representatives visit an average of 650 customers per day

About the multinational Legrand Group

Legrand is a global specialist in electrical and digital infrastructure, offering high value-added products and solutions that improve lives by transforming the spaces where people live, work and meet. The Legrand Group employs more than 38,200 people in nearly 90 countries and works to improve buildings' electrical and digital infrastructures, helping to digitize them and reduce their carbon footprint. Legrand has solutions for all building types - residential buildings, data centers and other non-residential buildings; as well as industrial spaces and infrastructures. The Group's technological expertise, its leadership position, the breadth and diversity of its offering, its international presence and the strength of its brands combine to make Legrand a global leader.

[#LegrandImprovingLives](https://www.legrandgroup.com)

www.legrandgroup.com

[@legrand](https://twitter.com/legrand)

EMOS dealership

CZECH REPUBLIC

Headquarters and logistics centre

EMOS spol. s r.o.
Lipnická 2844
750 02 Přerov


ID No.: 19014104
tax ID No.: CZ19014104
bank account number: 296149-831/0100
e-mail: emos@emos.cz

contact person: +420 581 261 111
customer centre B2B: +420 581 261 270-272
customer centre B2C: +420 581 261 233
reception fax: +420 581 277 548
sales fax: +420 581 701 332

warehouse: +420 581 261 160, 290, 293
complaints: +420 581 261 281
GPS: 49.467587°N, 17.448671°E

Office Prague

EMOS spol. s r.o.
PB Park, Průmyslová 1306/7
102 00 Praha 10 – Hostivař



SLOVAK REPUBLIC

EMOS SK s.r.o.
Hlinická 409/22
014 01 Bytča

ID No.: 36392961
VAT No.: SK2020104834
e-mail: emos@emos.sk

Sales department: +421 41 50 916 14
+421 902 96 69 96

Secretariat: +421 41 509 16 11
Battery repairs: +421 41 509 16 27

POLAND

EMOS PL Sp. z o.o.
ul. Gałczyńskiego 6
43-300 Bielsko-Biała

tel.: +48 33 816 92 42,
e-mail: biuro@emos.pl

SLOVENIA

EMOS SI, d.o.o.
Rimska cesta 92
3311 Šempeter v Savinski dolini


tel.: +386 8 205 17 20
e-mail: emos-si@emos-si.si

**Croatia | Bosnia and Herzegovina |
Serbia | Montenegro | North Macedonia**
Sašo Marinšek
Managing Director EMOS SI, d.o.o.
GSM: +386 31 517 364
e-mail: marinsek@emos-si.si

HUNGARY

EMOS HU Kft.
Budaörs Office Park, A épület
2040 Budaörs, Szabadság út 117

tel.: +36 23 42 80 24
fax: +36 23 41 42 99
e-mail: emos@emos.hu



Albania | Belgium | Bosnia and Herzegovina | Bulgaria | Montenegro | Estonia | Finland | France | Croatia | Italy |
Latvia | Lithuania | Hungary | Moldova | Germany | Netherlands | Poland | Portugal | Austria | Romania | Greece |
North Macedonia | Slovakia | Slovenia | Serbia | Spain | Sweden | Ukraine

EXPORT

Export departement + Germany | Austria | Sweden

Ladislav Novak
Export Manager
phone: +420 581 261 207
GSM: +420 724 597 640
e-mail: novak@emos.eu

Latvia | Estonia | Lithuania | Finland

Raman Sinevich
Country Manager
Baltic countries
GSM: +371 295 901 79
e-mail: sinevich@emos.eu

Spain | Portugal | France | Greece | Netherlands | Italy | Denmark | Belgium

Jose Henriquez
Export Sales Manager
Phone: +420 581 261 127
GSM: +420 602 551 726
e-mail: henriquez@emos.cz

Romania | Bulgaria | Republic of Moldova | Albania

Cseh Szabolcs
Country Manager
Baltic countries
GSM: +40 745 536 783
e-mail: cseh@emos.eu



The Eurologistics Centre of EMOS Holding, with an area of over 16,000 m², supports EMOS' strategy to offer its business partners excellent stock availability of products from its product range.

Order Code / obecné číslo / symbol / általános szám / šifra artikla / šifra artikla
Item Number / objektnákové číslo / kod produktu / rendelési száma / šifra za
naročanje / broj artikla
Width / širka objektu / szerokość obiektu / termék hosszúsága / širina / širina objekta
Height / výška objektu / wysokość obiektu / termék magassága / výšina / visina objekta
Number of LED / počet LED / ilosc diod LED / LED-ek száma / število LED / količina LED
Packaging / balení / opakowanie / csomagolás / pakiranje / pakovanje
Color Temperature / barva světla / barwa światła / világítás színe / barvna
temperatura / boja svetla
Timer / časovač / timer / időzítő / časovnik / tajmer
Cable Color / barva kabela / kolor przewodu / színes kábel / barva kabla / boja kabla
Indoor / vnitřní použití / zastosowanie: wewnętrz / beltéri / notranja / unutarnji
Outdoor / venkovní použití / zastosowanie: na zewnątrz / kültéri / zunanja / vanjski
Indoor/outdoor / vnitřní/venkovní použití / zastosowanie: wewnątrz/na zewnątrz /
beltéri/kültéri / notranja/zunanja / unutarnji/vanjski

The diagram shows a smart light bulb with the following features and callouts:

- Video**: A QR code on the left side of the bulb.
- Order Code**: A red square with the word "NEW" in white.
- Item Number**: The text "D1AN02" on the bulb's body.
- Packaging**: A small black square icon representing the cable color.
- Color Temperature**: A yellow box labeled "warm white" and a clock icon labeled "Timer".
- Number of LED**: The number "100" and the text "LED" on the bulb's body.
- Width**: A double-headed arrow indicating the width of the bulb.
- Height**: A double-headed arrow indicating the height of the bulb.
- Cable Color**: The text "Black cable" on the bulb's body.
- Timer**: A clock icon on the bulb's body.
- EAN**: A barcode on the bottom of the bulb.
- Input Power**: The text "max. 12 W" on the bottom of the bulb.



Indoor/Outdoor Power Supply Battery Power 6 h ON/18 h OFF

 IP44

Cool White / Studená bílá / Studená biela / Zimna biel / Hideg fehér / Hladna bela / Hladna bela/bijela / Kalt-Weiß /
Дення біла / Albă rece / Šaltai balta / Auksti balta / Kūlm valge / Студено бяла

Warm White / Teplá bílá / Teplá biela / Ciepla biel / Meleg fehér / Topla bela / Topla bela/bijela / Warm-Weiß / Теплая бѳла / Albă cald / Šiltai balta / Silti balta / Soe valoe / Топло бяла

[illegible]

Multicolor / Vícebarevné / Viacfarebné / Multicolor / Színes / Večbarvno / Višebojno / Mehrfarbig / Різнокольорові /
Multicolor / Daugiaspalvis / Daudzkrāsains / Vārviline / Многоцветни

Green / Zelená / Zelená / Zielony / Zöld / Zelena / Zelena / Grün / Зелений / Verde / Žalia / Zala / Roheline / Зелен / Vert / Verde / Groen / Verde / Verde / Grön / Vihreä

Blue / Modrá / Modrá / Niebieski / Kék / Modra / Plava / Blau / Синій / Albastră / Mèlyna / Zila / Sinine / Син

Red / Červená / Červená / Czerwony / Piros / Rdeča / Crvena / Rot / Червона / Rosie / Raudonas / Sarkana / Punane / Червена

Purple / Fialová / Fiolet / Lila / Vijolična / Ljubičasta / Violet / Фиолетовый / Violetă / Violetině / Violeta / Lilla /
Виолетов

Packaging



PROFI CONNECT




STANDARD CONNECT



CHRISTMAS
AND DECORATIVE
LED LIGHTS



DECORATIONS




POS MATERIAL
EXAMPLE OF PACKING
IN A STAND

Christmas LED Lights CONNECT SYSTEM



Light up any occasion! Whether it's decorating your home for Christmas or creating a magical atmosphere at weddings and parties. The connect lighting system offers endless decorating possibilities. The basic elements of the connect system STANDARD and PROFI are power supplies (A), extension cables (B) and lighting elements (C), which can be interconnected and combined with each other. This type of lighting is the ideal choice for spectacular outdoor decorations where conventional chain lengths are not sufficient.





Start Units	page 14
Power Supplies	page 16
Extension Cables	page 16
Chains	page 18
Icicles	page 24
Curtains	page 26
Nets	page 28
Stars	page 30

Power Supplies	page 34
Extension Cables	page 34
Chains	page 36
Icicles	page 40
Clusters	page 44

Christmas and Decorative LED LIGHTS



Create the right Christmas atmosphere! We offer a wide variety of LED chains that excel in low power consumption and long life for lighting up your Christmas tree. You can choose from outdoor (IP44) or battery-powered chains that are ideal for decorating areas without access to a power outlet. There are four series of LED light chains available, differing in LED size and shape - NANO - DROP - CLASSIC - CHERRY and TRADITIONAL. The decisive criteria for choosing the right chain are its length, the number of LEDs and the colour of the light.




Drop Chains	page 62
Drop Icicles	page 64
Drop Curtains	page 66

GoSmart Chains	page 70
Animated Chains	page 72
Double Color Chains	page 74
Multifunctional Chains	page 76
Standard Chains	page 80
Battery Chains	page 84
Cluster Chains	page 86
Multifunctional Icicles	page 90

Drop trees RGB	page 96
Multifunctional Chains	page 98
Standard Chains	page 102
Big Cherry Chains	page 104

Chains	page 106
Acrylic Garlands	page 108

Chains	page 108
Cone Lights	page 110



Fireworks	page 50
Chains	page 54
Batteries	page 56
Clusters	page 60


Christmas and Home LED DECORATIONS



Treat yourself to a fabulous Christmas! For a pleasant and warm festive atmosphere at home or, a magical show of decorations in the garden, you can enjoy a Christmas offer of various candlesticks, hanging decorations, garlands and figures. When deciding whether to purchase, it is advisable to consider whether you plan to place the decorations indoors or outdoors. Decorations for outdoor use can also be used indoors and a large number of them can be used all year round.



Stars	page 116
Candle Stands	page 118
Home Deco	page 122
Lanterns and Candles	page 136
Figures	page 140
Garlands	page 144
Trees and Wreaths	page 150
Projectors	page 154



Figures	page 158
Acrylic Garlands	page 164
Garden Lights	page 166
Trees	page 178
Projectors	page 180
Memorial	page 184

Christmas Accessories

GoSmart Products	page 186
Accessories French.	page 194
Accessories Schuko	page 197
Accessories Batteries	page 200
Accessories LED Bulbs	page 202
Index	page 204

PROFI CONNECT
ICICLE

D2CW01

LED ACRYLIC
PARTY BULBS

DCPW04

Christmas
LED Lights

CONNECT SYSTEM

Light up any occasion! Whether it's decorating your home for Christmas or creating a magical atmosphere at weddings and parties. The connect lighting system offers endless decorating possibilities. The basic elements of the connect system STANDARD and PROFI are power supplies (A), extension cables (B) and lighting elements (C), which can be interconnected and combined with each other. This type of lighting is the ideal choice for spectacular outdoor decorations where conventional chain lengths are not sufficient.

CONNECT TOP
TREE STAR

D1ZW01

STANDARD CONNECT
CHAIN

D1AN02

A line points from the text to a string of icicle-shaped lights hanging from the pergola beams.


PROFI CONNECT
ICICLE

D2CN02

A line points from the text to a dense cluster of small lights.


PROFI CONNECT
CLUSTER

D2BW01

A line points from the text to a chain of rectangular lights.

PROFI CONNECT
CHAIN

D2AW03

A line points from the text to a curtain-like arrangement of lights.

STANDARD CONNECT
CURTAIN

D1EW01

Introduction

STANDARD & PROFI CONNECT SYSTEM


quickly and easily with **CONNECT SYSTEM** interconnectable lights

A Start with the power supply




Watch the video


B Add extension cords or splitters



C Choose and connect one or more LED elements



Extend and branch your lighting...



- you can interconnect multiple Christmas lights
- you only need one adapter to power up to 800 LED fairy lights
- choose from a wide range of colours and string shapes
- safe for outdoor use thanks to IP44 enclosure
- energy-efficient LED technology saves you money

...and let your imagination run wild



... on the house



... in the garden



... indoors

Connection example

PROFI


D1ZW02

Power supply max. 500 LED
(2×)



D2ZB01

Extension cables 10 m
(2×)



D2BW01

Clusters 4× 150 LED = 600 LED
(4×)



Connection example

PROFI

D1ZW02

Power supply max. 500 LED
(1×)




D2ZB01

Extension cable 10 m
(1×)



D2CW01

Icicles 5× 50 LED = 250 LED
(5×)



Connection example

STANDARD

D1ZW02

Power supply max. 800 LED
(1×)



D1ZB01

Extension cables 10 m
(5×)



D1AW02

Chains 2× 50 LED = 100 LED
(2×)



D1AW03

Chains 2× 100 LED = 200 LED
(2×)




D1ZB03

Extension cable 0.5 m
(1×)




D1EW01

Curtain 100 LED
(1×)




D1DW01

Net 160 LED
(1×)



Christmas
LED Lights
CONNECT SYSTEM

STANDARD




Start units (A+B+C)

page 14



Power supplies (A)

page 16




Extension cables (B)

page 16




Chains (C)

page 18




Icicles (C)

page 24



Curtains (C)

page 26




Nets (C)

page 28



Stars (C)

page 30



D1CN01



D1CD01



D1EW01

The STANDARD connect system is suitable for indoor and outdoor use thanks to its IP44 protection rating, but only in season, not all year round. The advantage of this connection system is the wide range of light elements (C) in several different colours. Although the most popular Christmas light is the chain, in the connecting system you can choose according to your own design preferences from icicles, curtains, nets or stars for the top of the Christmas tree. Up to **800 LED** lights can be powered from a single power supply (A) connected to extension or splitter cables (B) and light elements (C).




D1CW01



D1DC01



D1AC02



D1ZW01



Start Units Icicles




A + B + C

CONNECT SYSTEM
STANDARD

800
LED max.
STANDARD

Get ready for magical Christmas with our starter Unit. It includes power supply (A), an extension cable (B), and an elegant icicle chain (C) for perfect distribution throughout your space. Ideal for starting your Christmas lighting and creating a charming atmosphere.



NEW



D1CC03

100 LED

↔ 2.5 m

↑↓ 0.9 m

15 50 010 009



1/-/-20

Black cable



Timer

5 m

max. 12 W



cool white

NEW



D1CW02

100 LED

↔ 2.5 m

↑↓ 0.9 m

15 50 010 008



1/-/-20

Black cable



Timer

5 m

max. 12 W



warm white



Start Units Chains


A + B + C
CONNECT SYSTEM
STANDARD
800

LED max.
STANDARD

A

Power supply


B

Extension cables


C

Chain



cool white

D1AC01

15 50 012 000



1/-/-20

100 LED
↔ 10 m

Black cable
5 m
max. 12 W


8 592920 094747



warm white

D1AW01

15 50 010 000



1/-/-20

100 LED
↔ 10 m

Black cable
5 m
max. 12 W


8 592920 094679



multicolor

D1AM01

15 50 014 000



1/-/-20

100 LED
↔ 10 m

Black cable
5 m
max. 12 W



8 592920 094822



A + B + C

CONNECT SYSTEM
STANDARD

Power Supplies, Extension Cables




A

■ Black




D1ZB05 15 50 015 012 1/-/-/48

12 W Timer



A

□ White



D1ZW02 15 50 025 000 1/-/-/48

12 W Timer



B

■ Black



D1ZB01 15 50 015 005 1/-/10/120

↔ 10 m



B

□ Transparent




D1ZB02 15 50 015 006 1/-/10/120

↔ 10 m



B

■ Black



D1ZB03 15 50 015 007 1/-/10/160

↔ 0.5 m



B

□ Transparent



D1ZT01 15 50 025 001 1/-/10/160



STEP 1: PREPARATION



POWER SUPPLY + TIMER

A



D1ZW02

D1ZB05

STEP 2: INSTALLATION



- 1 Power supply has a built-in timer. After the first press of the button, the chain will shine continuously.



- 2 After the second press (green light comes on) the timer is set to 6 hours. Then it will turn off automatically for 18 hours.

At these intervals (6 hours on/18 hours off) it will work automatically until you press the button for the third time.



STEP 3: ENJOY THE LIGHTING




PLAY VIDEO



Chains



A + B + C



CONNECT SYSTEM
STANDARD

800
LED max.
STANDARD



C cool white

D1AC02 15 50 012 001 1/-/-36

50 LED Black cable max. 3 W

↔ 5 m


8 592920 094754

D1AC03 15 50 012 002 1/-/-24

100 LED Black cable max. 5 W

↔ 10 m

8 592920 094761



C warm white

D1AW02 15 50 010 001 1/-/-36

50 LED Black cable max. 3 W

↔ 5 m

8 592920 094686

D1AW03 15 50 010 002 1/-/-24

100 LED Black cable max. 5 W

↔ 10 m

8 592920 094693



C multicolor

D1AM02 15 50 014 001 1/-/-36

50 LED Black cable max. 3 W

↔ 5 m

8 592920 094839

D1AM03 15 50 014 002 1/-/-24

100 LED Black cable max. 5 W

↔ 10 m

8 592920 094846




D1AW03

Chains



A + B + C

CONNECT SYSTEM
STANDARD



800
LED max.
STANDARD



C

green

D1AG01

15 50 015 000

1/-/-24

100 LED

Black cable

max. 5 W

↔ 10 m

8 592920 094853



C

blue

D1AB01

15 50 015 001

1/-/-24

100 LED

Black cable

max. 5 W

↔ 10 m

8 592920 094860



C

purple

D1AF01

15 50 015 003

1/-/-24

100 LED

Black cable

max. 5 W

↔ 10 m

8 592920 094884



EMOS®

A brand of **legrand**

C

D1AR01

15 50 015 002



1/-/-/24

100 LED

■ Black cable

max. 5 W

↔ 10 m



8 592920 094877

red

Chains

light and flashing



 **IP44**

A + B + C

CONNECT SYSTEM
STANDARD

800
LED max.
STANDARD



		warm white
50 LED WW light	50 LED CW light	cool white
C	D1AN01	15 50 013 001  1/-/-/24
	100 LED	■ Black cable max. 5 W
	↔ 10 m	



		warm white
80 LED WW light	20 LED CW flashing	cool white
C	D1AN02	15 50 013 002  1/-/-/24
	100 LED	■ Black cable max. 5 W
	↔ 10 m	

PROFI CONNECT
ICICLE

D2CN01

STANDARD CONNECT
CHAIN

D1AW03

STANDARD CONNECT
CHAIN

D1AN01

Icicles


 **IP44**

A + B + C

**CONNECT SYSTEM
STANDARD**

800

LED max.
STANDARD



C

cool white

D1CC01 15 50 012 003  1/-/-/36
100 LED  Black cable max. 5 W
↔ 2.5 m
↑↓ 0.9 m 8 592920 094778



C

warm white

D1CW01 15 50 010 003  1/-/-/36
100 LED  Black cable max. 5 W
↔ 2.5 m
↑↓ 0.9 m 8 592920 094709

...light and flashing



C

 90 LED CW light  10 LED CW flashing  cool white

D1CC02 15 50 012 004  1/-/-/36
100 LED  Transparent cable max. 5 W
↔ 2.5 m
↑↓ 0.9 m 8 592920 094785



C

 90 LED WW light  10 LED CW flashing  warm white  cool white

D1CN01 15 50 013 000  1/-/-/36
100 LED  Transparent cable max. 5 W
↔ 2.5 m
↑↓ 0.9 m 8 592920 094815



C


 50 LED red light  50 LED vintage flashing  red  vintage

D1CD01 15 50 015 004  1/-/-/36
100 LED  Transparent cable max. 5 W
↔ 2.5 m
↑↓ 0.9 m 8 592920 094891



D1CD01

Curtains




 **IP44**

A + B + C

**CONNECT SYSTEM
STANDARD**

800
LED max.
STANDARD



cool white

C **D1EC01** 15 50 012 005  1/-/-/24
100 LED  Black cable max. 5 W
↔ 1 m
↕ 2 m 8 592920 094792




warm white

C **D1EW01** 15 50 010 004  1/-/-/24
100 LED  Black cable max. 5 W
↔ 1 m
↕ 2 m 8 592920 094716



D1EW01

Nets



 **IP44**

A + B + C

**CONNECT SYSTEM
STANDARD**

800
LED max.
STANDARD



cool white

C

D1DC01
160 LED
↔ 2 m
↕ 1.5 m

15 50 012 006

1/-/-/20

Black cable

max. 4 W

8 592920 094808



warm white

C

D1DW01
160 LED
↔ 2 m
↕ 1.5 m

15 50 010 005

1/-/-/20

Black cable


max. 4 W

8 592920 094723



D1DW01

Stars



**IP44**

A + B + C

**CONNECT SYSTEM
STANDARD**

800
LED max.
STANDARD



C

D1ZC01 15 50 012 007  1/-/-6

30 LED  0.3 m max. 4 W

↔ 25.5 cm ☐ Transparent cable

↕ 28.5 cm


8 592920 099803



C

D1ZW01 15 50 010 006  1/-/-6

30 LED  0.3 m max. 4 W

↔ 25.5 cm ☐ Transparent cable

↕ 28.5 cm


8 592920 094730

EMOS®

A brand of **legrand**

CONNECT
TOP TREE STAR

D1ZW01

STANDARD CONNECT
START UNIT

D1AW01

PROFI CONNECT
CLUSTER

D2BW01


Christmas LED Lights CONNECT SYSTEM

PROFI



Power supplies (A)

page 34




Extension cables (B)

page 34



Chains (C)

page 36



Icicles (C)


page 40



Clusters (C)

page 44

The PROFI connect system is characterized by increased material durability and an extended 3-year warranty. The high quality rubber cables allow year-round installation without the need for disassembly in any temperature conditions. The individual elements of the system are freely interconnectable, which allows the realization of even very large lighting projects, especially in the exterior. Up to **500 LED** lights can be powered from a single power supply (A) connected to extension or splitter cables (B) and light elements (C).





D2BW01



D2BC01



D2BW01



D2AW01




D2CW02




A + B + C

CONNECT SYSTEM
PROFI



Power Supplies, Extension Cables



A

■ Black



D1ZB05


15 50 015 012

1/-/-/48

12 W




8 592920 110782



A

□ White



D1ZW02

15 50 025 000

1/-/-/48

12 W



8 592920 094464



B

■ Black



D2ZB01

15 50 025 003

1/-/5/30

↔ 10 m



8 592920 094495



B

□ White



D2ZW01

15 50 025 002

1/-/5/30

↔ 10 m



8 592920 094488



B

□ Transparent



D1ZT01

15 50 025 001

1/-/10/160



8 592920 094471



STEP 1: PREPARATION


POWER SUPPLY
+ TIMER

A



D1ZW02

D1ZB05




STEP 2: INSTALLATION

- 1 Power supply has a built-in timer. After the first press of the button, the chain will shine continuously.



- 2 After the second press (green light comes on) the timer is set to 6 hours. Then it will turn off automatically for 18 hours.

At these intervals (6 hours on/18 hours off) it will work automatically until you press the button for the third time.



STEP 3: ENJOY THE LIGHTING



PLAY VIDEO



Chains

 **IP44**

A + B + C


**CONNECT SYSTEM
PROFI**



3
YEARS
WARRANTY

500
LED max.
PROFI


365 days



C

cool white

D2AC01 15 50 022 000  1/-/-/36

50 LED  Black cable max. 4 W

↔ 5 m



D2AC04 15 50 022 003  1/-/-/16

100 LED  Black cable max. 6 W

↔ 10 m



C

warm white

D2AW01 15 50 020 000  1/-/-/36

50 LED  Black cable max. 4 W

↔ 5 m



D2AW03 15 50 020 002  1/-/-/16

100 LED  Black cable max. 6 W

↔ 10 m




...light and flashing



C



90 LED CW light



10 LED CW flashing

cool white

D2AC03 15 50 022 002  1/-/-/16

100 LED  Black cable max. 6 W

↔ 10 m



C



90 LED WW light



10 LED CW flashing

warm white

cool white

D2AN01 15 50 023 000  1/-/-/16

100 LED  Black cable max. 6 W

↔ 10 m





EMOS®


A brand of  **legrand**

D2AW03

Chains



A + B + C



CONNECT SYSTEM
PROFI

3
YEARS
WARRANTY

500
LED max.
PROFI

365 days



cool white

C

D2AC02

15 50 022 001

1/-/-/36

50 LED

☐ White cable

max. 4 W

↔ 5 m



D2AC05

15 50 022 008

1/-/-/16

100 LED

☐ White cable

max. 6 W

↔ 10 m



warm white

C

D2AW02

15 50 020 001

1/-/-/36

50 LED

☐ White cable

max. 4 W

↔ 5 m



D2AW04

15 50 020 007

1/-/-/16

100 LED

☐ White cable

max. 6 W

↔ 10 m



A photograph of a small wooden cabin in a snowy landscape at night. The cabin is illuminated from within, and its exterior is decorated with warm white string lights. Snow-covered branches frame the top and left sides of the image. A path leads through the snow towards the cabin.

STANDARD CONNECT
CURTAIN

D1EW01

PROFI CONNECT
ICICLE

D2CW02

PROFI CONNECT
CHAIN


D2AW04

Icicles

 **IP44**

A + B + C

**CONNECT SYSTEM
PROFI**



3
YEARS
WARRANTY

500
LED max.
PROFI


365 days



C

cool white

D2CC01 15 50 022 004  1/-/-24
50 LED  Black cable max. 4 W
↔ 3 m
↑↓ 0.4 m 8 592920 094617



C

warm white

D2CW01 15 50 020 003  1/-/-24
50 LED  Black cable max. 4 W
↔ 3 m
↑↓ 0.4 m 8 592920 094532

...light and flashing



C

 40 LED CW light  10 LED CW flashing  cool white
D2CC03 15 50 022 006  1/-/-24
50 LED  Black cable max. 4 W
↔ 3 m
↑↓ 0.4 m 8 592920 094631



C

 40 LED WW light  10 LED WW flashing  warm white
D2CW03 15 50 020 005  1/-/-24
50 LED  Black cable max. 4 W
↔ 3 m
↑↓ 0.4 m 8 592920 094556



C

 40 LED WW light  10 LED CW flashing  warm white  cool white
D2CN01 15 50 023 001  1/-/-24
50 LED  Black cable max. 4 W
↔ 3 m
↑↓ 0.4 m 8 592920 094662



EMOS®

A brand of  **legrand**


D2CW03

Icicles

 **IP44**

A + B + C

**CONNECT SYSTEM
PROFI**



3
YEARS
WARRANTY

500
LED max.
PROFI


365 days



C

cool white

D2CC02 15 50 022 005  1/-/-24
50 LED ☐ White cable max. 4 W
↔ 3 m
↕ 0.4 m 8 592920 094624



C

warm white

D2CW02 15 50 020 004  1/-/-24
50 LED ☐ White cable max. 4 W
↔ 3 m
↕ 0.4 m 8 592920 094549

...light and flashing



C

 40 LED CW light  10 LED CW flashing ☐ White cable max. 4 W cool white
D2CC04 15 50 022 009  1/-/-24
50 LED ☐ White cable max. 4 W
↔ 3 m
↕ 0.4 m 8 592920 099926



C

 40 LED WW light  10 LED WW flashing ☐ White cable max. 4 W warm white
D2CW04 15 50 020 008  1/-/-24
50 LED ☐ White cable max. 4 W
↔ 3 m
↕ 0.4 m 8 592920 099889



C

 40 LED WW light  10 LED CW flashing ☐ White cable max. 4 W warm white cool white
D2CN02 15 50 023 002  1/-/-24
50 LED ☐ White cable max. 4 W
↔ 3 m
↕ 0.4 m 8 592920 099940



EMOS®

A brand of **legrand**

D2CW02

Clusters



 **IP44**

A + B + C

**CONNECT SYSTEM
PROFI**

3
YEARS
WARRANTY

500
LED max.
PROFI


365 days



C

D2BC01

150 LED
↔ 3 m

cool white
15 50 022 007  1/-/-/12

Black cable max. 6 W



C

D2BW01

150 LED
↔ 3 m

warm white
15 50 020 006  1/-/-/12

Black cable max. 6 W





EMOS®

A brand of  **legrand**

D2BW01



NANO
FIREWORKS
D3AW09

NANO
BATTERIES
D3AW07

CLASSIC
ICICLE
D4CW01

Christmas
and Decorative

LED LIGHTS

Create the right Christmas atmosphere! We offer a wide variety of LED chains that excel in low power consumption and long life for lighting up your Christmas tree. You can choose from outdoor (IP44) or battery-powered chains that are ideal for decorating areas without access to a power outlet. There are four series of LED light chains available, differing in LED size and shape - NANO – DROP – CLASSIC – CHERRY and TRADITIONAL. The decisive criteria for choosing the right chain are its length, the number of LEDs and the colour of the light.

CONNECT TOP
TREE STAR
D1ZW01

CHERRY
CHAIN
D5AW03

CLASSIC
CLUSTER
D4BW03

NANO
CLUSTER
D3FW01

Christmas and Decorative LED Lights

NANO



Fireworks

page 50




Chains

page 54



Batteries


page 56



Clusters

page 62

Christmas **NANO** chains are an elegant accessory that will surely become your reliable helper when creating Christmas arrangements and decorating your interior. Thanks to the fine, ultra-thin wire, the lights in the chain stand out beautifully and can be used to decorate various parts of your home, including the festive table. The copper wire can be bent to your own preference so you can wrap the lights around an Advent wreath or your favourite figurine on a shelf. Stylish decoration and pleasant illumination is also provided by the chain when placed in a jar or lantern. The universal NANO lights are therefore the obvious choice for creating a cosy atmosphere at various festive occasions.



D3AC03



D3AW08



D3AM04




D3FW01



D3AW08

Fireworks

 IP20



D3AW08

15 50 030 007

 1/-/30

150 LED



3 m



Timer

↔ 2.35 m



Transparent cable



8

592920 095157

warm white

cool white

D3AC08

15 50 002 018  1/-/30

150 LED  3 m  Timer

↔ 2.35 m  Green cable



D3AC09

15 50 002 019  1/-/24

300 LED  3 m  Timer

↔ 5.2 m  Green cable



D3AC10

15 50 002 020  1/-/20

450 LED  3 m  Timer

↔ 8 m  Green cable



warm white

D3AW09

15 50 000 058  1/-/30

150 LED  3 m  Timer

↔ 2.35 m  Green cable



D3AW10

15 50 000 059  1/-/24

300 LED  3 m  Timer

↔ 5.2 m  Green cable




D3AW11

15 50 000 060  1/-/20


450 LED  3 m  Timer

↔ 8 m  Green cable



Nano Chains

 **IP44**



D3AC03 15 50 032 002  cool white

40 LED  5 m  Timer
↔ 4 m  Green cable



D3AC04 15 50 032 003  cool white

75 LED  5 m  Timer
↔ 7.5 m  Green cable



D3AC05 15 50 032 004  cool white

150 LED  5 m  Timer
↔ 15 m  Green cable



warm white

D3AW03 15 50 030 002 1/-/40

40 LED 5 m Timer

↔ 4 m Green cable



D3AW04 15 50 030 003 1/-/40

75 LED 5 m Timer

↔ 7.5 m Green cable



D3AW05 15 50 030 004 1/-/40

150 LED 5 m Timer

↔ 15 m Green cable



multicolor

D3AM01 15 50 034 000 1/-/40

40 LED 5 m Timer

↔ 4 m Green cable



D3AM02 15 50 034 001 1/-/40

75 LED 5 m Timer

↔ 7.5 m Green cable



D3AM03 15 50 034 002 1/-/40

150 LED 5 m Timer

↔ 15 m Green cable






D3AC01



IP44



cool white

D3AC02

15 50 032 001 1/-/40

40 LED 5 m Timer

↔ 4 m Silver cable



8 592920 095225

D3AC01

15 50 032 000 1/-/40

100 LED 5 m Timer

↔ 10 m Silver cable



8 592920 095218

warm white

D3AW01

15 50 030 001 1/-/40

40 LED 5 m Timer

↔ 4 m Copper cable



8 592920 095096



D3AW02

15 50 030 000 1/-/40

100 LED 5 m Timer

↔ 10 m Copper cable



8 592920 095089


EMOS®

A brand of **legrand**



Nano Batteries

 IP20



cool white

D3AC06 15 50 032 005  1/-/-72

10 LED  2× AA  Timer

↔ 0.9 m  Silver cable  0.5 m



D3AC07 15 50 032 006  1/-/-50

20 LED  2× AA  Timer

↔ 1.9 m  Silver cable  0.5 m



warm white

D3AW06 15 50 030 005  1/-/-72

10 LED  2× AA  Timer

↔ 0.9 m  Copper cable  0.5 m



D3AW07 15 50 030 006  1/-/-50

20 LED  2× AA  Timer

↔ 1.9 m  Copper cable  0.5 m



multicolor

D3AM04 15 50 034 003  1/-/-50

20 LED  2× AA  Timer

↔ 1.9 m  Silver cable  0.5 m






D3AW06

Nano Clusters

 IP20



cool white

D3FC01 15 50 032 007  1/-/-/48

100 LED  3× AA  Timer

↔ 2.4 m  Silver cable  0.3 m


8 592920 095287

warm white

D3FW01 15 50 030 008  1/-/-/48

100 LED  3× AA  Timer

↔ 2.4 m  Silver cable  0.3 m


8 592920 095164



D3FW01


Christmas and Decorative LED Lights

DROP




Chains

page 62



Icicles

page 64



Curtains

page 66

Christmas DROP chains are an elegant accessory that will undoubtedly become your reliable helper when creating Christmas arrangements and decorating your interior. Thanks to the delicate transparent wire, the lights in the chain shine beautifully and can be used to decorate various parts of your home, including window curtains. The universal DROP lights are a bright choice for creating a cozy atmosphere for various festive occasions.



D3CW01




D3AW15



D3EW02

Drop Chains

 IP44



NEW

D3AW15

1550030024  1/-/-/25

120 LED  5 m  Timer

↔ 12 m ☐ Transparent cable



8 592920 121634

NEW

D3AW16

1550030025  1/-/-/25

260 LED  5 m  Timer

↔ 16 m ☐ Transparent cable



8 592920 121641

A warm-toned photograph of a wooden surface, likely a table, decorated with various items. In the upper left, there is a large, tangled pile of dried, light-colored grass or twigs. To the right, a string of warm-white LED lights is draped across the surface, with several lights glowing. In the center, there is a small, dark, woven ball. At the bottom, there are several seashells and a piece of driftwood. The overall atmosphere is cozy and rustic.


EMOS®

A brand of **legrand**

D3AW15

Drop Icicles

 IP44



NEW

8 multifunctional
modes

warm white

D3CW01

1550030026  1/-/-/20

54 LED  5 m

↔ 1.7 m ☐ Transparent cable

↕ 0.7 m



8 592920 121665

NEW

8 multifunctional
modes

warm white

D3CW02

1550030027  1/-/-/20

100 LED  5 m

↔ 2.9 m ☐ Transparent cable

↕ 0.7 m



8 592920 121689

EMOS®


A brand of **legrand**



D3CW01

Drop Curtains

 **IP44**



8 multifunctional
modes

warm white

D3EW02 15 50 030 015  1/-/-20

180 LED  5 m

↔ 1.7 m ☐ Transparent cable

↑↓ 1.5 m



D3EW03 15 50 030 016  1/-/-16

300 LED  5 m

↔ 2.9 m ☐ Transparent cable

↑↓ 1.5 m



D3EW01 15 50 030 014  1/-/-20

240 LED  5 m

↔ 1.7 m ☐ Transparent cable

↑↓ 2 m



D3EW04 15 50 030 017  1/-/-16

400 LED  5 m

↔ 2.9 m ☐ Transparent cable

↑↓ 2 m





D3EW02

Christmas and Decorative LED Lights

CLASSIC



Chains


page 70

GoSmart, Animated, Double color, Multifunctional, Standard, Battery



Clusters

page 86



Icicles

page 90

Multifunctional

To create a true festive atmosphere, the lights on the Christmas tree are indispensable. Whether you decide to use them indoors to brighten up the whole apartment or outdoors as a decoration for the bush in front of the house, the **Classic** series with screen adapter is a great choice in terms of the very wide range of lengths and colours. Selected chain types have 8 to 64 light modes or a remote control. Also lights with a timer function are very practical, which can light up the tree at regular intervals and you don't have to worry about switching them on and off every day.



D4AC08



D4AW03



D4BV04




D4CW02



D4CW01

GoSmart Chains

 **IP44**



64 multifunctional
modes



NEW



D4ZR01 1550044028  1/-/-/30

80 LED  5 m  Timer

↔ 8 m  Black cable



D4ZR02 1550044029  1/-/-/25

120 LED  5 m  Timer

↔ 12 m  Black cable



D4ZR03 1550044030  1/-/-/20

180 LED  5 m  Timer


↔ 18 m  Black cable



D4ZR04 1550044031  1/-/-/16

240 LED  5 m  Timer

↔ 24 m  Black cable



EMOS®

A brand of **legrand**



EMOS GoSmart




Download on the
App Store

GET IT ON
Google Play

Works with
Amazon Alexa
Google Assistant

Animated Chains

IP44



72 Amazing scenes

multicolor

D4AA02 15 50 044 019 1/-/20

96 LED 3 m Timer

↔ 10 m Black cable



D4AA03 15 50 044 020 1/-/16

120 LED 3 m Timer

↔ 12 m Black cable



D4AA04 15 50 044 021 1/-/12

160 LED 3 m Timer

↔ 16 m Black cable



Demonstration of 72 Amazing Scenes




VIDEO



Double Color Chains

 **IP44**



warm white
cool white



D4AN04 15 50 043 007  1/-/30

80 LED  5 m  Timer


↔ 8 m  Black cable



D4AN05 15 50 043 008  1/-/25

120 LED  5 m  Timer

↔ 12 m  Black cable



D4AN06 15 50 043 009  1/-/20

180 LED  5 m  Timer

↔ 18 m  Black cable





warm white
cool white

	
16 LED CW flashing	64 LED WW light

D4AN01 15 50 043 010  1/-/-/30

80 LED  5 m  Timer

↔ 8 m  Black cable



	
24 LED CW flashing	96 LED WW light

D4AN02 15 50 043 011  1/-/-/20

120 LED  5 m  Timer

↔ 12 m  Black cable



	
36 LED CW flashing	144 LED WW light

D4AN03 15 50 043 012  1/-/-/16


180 LED  5 m  Timer

↔ 18 m  Black cable



Multifunctional Chains

 **IP44**



8 multifunctional
modes

cool white

D4AC08

15 50 042 007  1/-/-25

120 LED

 Green cable  5 m

↔ 12 m



D4AC09

15 50 042 008  1/-/-20

180 LED

 Green cable  5 m

↔ 18 m



D4AC10

15 50 042 009  1/-/-16

240 LED

 Green cable  5 m

↔ 24 m



8 multifunctional modes

warm white

D4AW09 15 50 040 023  1/-/-25

120 LED  Green cable  5 m

↔ 12 m



D4AW07 15 50 040 009  1/-/-20

180 LED  Green cable  5 m

↔ 18 m



D4AW08 15 50 040 010  1/-/-16

240 LED  Green cable  5 m

↔ 24 m



8 multifunctional modes

multicolor

D4AM08 15 50 044 007  1/-/-25

120 LED  Green cable  5 m

↔ 12 m



D4AM09 15 50 044 008  1/-/-20

180 LED  Green cable  5 m

↔ 18 m




D4AM10 15 50 044 017  1/-/-16

240 LED  Green cable  5 m

↔ 24 m





8 multifunctional
modes

warm white

cool white

D4AL05

15 50 043 001 1/-/-/24

100 LED


Black cable 5 m

↔ 10 m



8 592920 095805

IP44



8 multifunctional
modes

D4AJ01

15 50 043 002 1/-/-/24

100 LED

Black cable 5 m

↔ 10 m



8 592920 095812

cool white
multicolor

EMOS

A brand of **legrand**



8 multifunctional
modes

D4AH01

15 50 043 003 1/-/-/24

100 LED

Black cable 5 m

↔ 10 m




8 592920 095829

warm white
multicolor

Standard Chains

 **IP44**



D4AC01 15 50 042 000  1/-/-/30
 40 LED  5 m  Timer
 ↔ 4 m  Green cable
 8 592920 095638

D4AC02 15 50 042 001  1/-/-/30
 80 LED  5 m  Timer
 ↔ 8 m  Green cable
 8 592920 095645

D4AC03 15 50 042 002  1/-/-/25
 120 LED  5 m  Timer
 ↔ 12 m  Green cable
 8 592920 095652

D4AC04 15 50 042 003  1/-/-/20
 180 LED  5 m  Timer
 ↔ 18 m  Green cable
 8 592920 095669

D4AC05 15 50 042 004  1/-/-/16
 240 LED  5 m  Timer
 ↔ 24 m  Green cable
 8 592920 095676

D4AC06 15 50 042 005  1/-/-/6
 500 LED  5 m  Timer
 ↔ 50 m  Green cable
 8 592920 095683



warm white

D4AW01 15 50 040 001  1/-/-/30

40 LED  5 m  Timer

↔ 4 m  Green cable



D4AW02 15 50 040 002  1/-/-/30

80 LED  5 m  Timer

↔ 8 m  Green cable



D4AW03 15 50 040 003  1/-/-/25

120 LED  5 m  Timer

↔ 12 m  Green cable



D4AW04 15 50 040 004  1/-/-/20

180 LED  5 m  Timer

↔ 18 m  Green cable



D4AW05 15 50 040 005  1/-/-/16

240 LED  5 m  Timer

↔ 24 m  Green cable




D4AW06 15 50 040 000  1/-/-/6

500 LED  5 m  Timer

↔ 50 m  Green cable





vintage

D4AV02 15 50 041 001  1/-/-/30

80 LED  5 m  Timer

↔ 8 m  Green cable



D4AV03 15 50 041 002  1/-/-/25

120 LED  5 m  Timer

↔ 12 m  Green cable




D4AV04 15 50 041 004  1/-/-/20

180 LED  5 m  Timer

↔ 18 m  Green cable





multicolor

D4AM01 15 50 044 000 1/-/-30

40 LED 5 m Timer

↔ 4 m Green cable



D4AM02 15 50 044 001 1/-/-30

80 LED 5 m Timer

↔ 8 m Green cable



D4AM03 15 50 044 002 1/-/-25

120 LED 5 m Timer

↔ 12 m Green cable



D4AM04 15 50 044 003 1/-/-20

180 LED 5 m Timer

↔ 18 m Green cable



D4AM05 15 50 044 004 1/-/-16

240 LED 5 m Timer

↔ 24 m Green cable



D4AM06 15 50 044 005 1/-/-6


500 LED 5 m Timer

↔ 50 m Green cable



Battery Chains

 **IP44**



NEW

cool white

D4FC01 1550042021  1/-/48

40 LED  3× AA  Timer

↔ 2.8 m  Black cable



D4FC02 1550042022  1/-/40

80 LED  3× AA  Timer

↔ 5.6 m  Black cable



D4FC03 1550042023  1/-/32

120 LED  3× AA  Timer

↔ 8.4 m  Black cable



warm white

D4FW01 15 50 040 006  1/-/48

40 LED  3× AA  Timer

↔ 2.8 m  Black cable



D4FW02 15 50 040 007  1/-/40

80 LED  3× AA  Timer

↔ 5.6 m  Black cable



D4FW03 15 50 040 008  1/-/32


120 LED  3× AA  Timer

↔ 8.4 m  Black cable



Cluster Chains

 **IP44**



NEW

8 multifunctional
modes

warm white

D4BW08

1550040040  1/-/-6

960 LED  Black cable  5 m

↔ 7.2 m



cool white

D4BC05

1550042020  1/-/-6

960 LED  Black cable  5 m

↔ 7.2 m



multicolor

D4BM05

1550044027  1/-/-6

960 LED  Black cable  5 m

↔ 7.2 m





vintage

D4BV04

15 50 041 008  1/-/-12

300 LED  5 m  Timer

↔ 6 m  Black cable



D4BV02

15 50 041 005  1/-/-12

400 LED  5 m  Timer

↔ 8 m  Black cable




D4BV03

15 50 041 007  1/-/-8

600 LED  5 m  Timer

↔ 12 m  Black cable





cool white

D4BC04

15 50 042 019 1/-/12

300 LED 5 m Timer

↔ 6 m Black cable



D4BC02

15 50 042 013 1/-/12

400 LED 5 m Timer

↔ 8 m Black cable



D4BC03

15 50 042 015 1/-/8

600 LED 5 m Timer

↔ 12 m Black cable





warm white

D4BW04

15 50 040 024 1/-/12

300 LED 5 m Timer

↔ 6 m

Black cable



8 592920 099988

D4BW02

15 50 040 017 1/-/12

400 LED 5 m Timer

↔ 8 m

Black cable



8 592920 095522

D4BW03

15 50 040 019 1/-/8

600 LED 5 m Timer

↔ 12 m

Black cable



8 592920 095546

multicolor

D4BM04

15 50 044 018 1/-/12

300 LED 5 m Timer

↔ 6 m

Black cable



8 592920 100189

D4BM02

15 50 044 010 1/-/12

400 LED 5 m Timer

↔ 8 m

Black cable



8 592920 095966

D4BM03

15 50 044 012 1/-/8

600 LED 5 m Timer

↔ 12 m

Black cable



8 592920 095980




EMOS®

A brand of **legrand**



Multifunctional Icicles

 **IP44**



8 multifunctional
modes

cool white

D4CC01 15 50 042 012  1/-/-16

200 LED  Green cable  5 m

↔ 3.6 m

↑↓ 0.7 m




D4CC03 15 50 042 010  1/-/-8

600 LED  Green cable  5 m

↔ 10 m

↑↓ 0.7 m



The EMOS logo is displayed in white text on a red rectangular background.

A brand of  legrand

8 multifunctional modes

warm white

D4CW01 15 50 040 013  1/-/-16

200 LED  Green cable  5 m

↔ 3.6 m

↑↓ 0.7 m




D4CW03 15 50 040 011  1/-/-8

600 LED  Green cable  5 m

↔ 10 m

↑↓ 0.7 m





8 multifunctional
modes

cool white


D4CC02 15 50 042 011 1/-/12

300 LED 5 m Timer

5 m Transparent cable

0.7 m





8 multifunctional
modes

warm white

D4CW02

15 50 040 012 1/-/12

300 LED 5 m Timer

↔ 5 m □ Transparent cable

↕ 0.7 m



Christmas and Decorative LED Lights

CHERRY



Drop Trees

RGB

page 96



Chains

Multifunctional, Standard

page 98



Big

page 104

Everyone will love the **Cherry** LED lights! Their white orbs perfectly decorate the Christmas tree and act as both lights and small decorations in one. The length of up to 48 metres allows you to stretch the chain between trees in the garden or along the perimeter of the terrace. Selected types of chains are offered with **8 to 64 light modes**, a remote control or an integrated timer, so that the chain will light up at regular intervals. For chains with **RGB function**, you can change the colour of the lights according to your own preferences.



D5AW05



D5AC06



D5AW01




D5AA02



D5ZW01

Drop Trees RGB

 **IP44**



16 multifunctional
modes



D5AA02

15 50 044 022  1/-/-2

244 LED  3 m  Timer

↑ 1.5 m

 Green cable



8 592920 100264

16 multifunctional
modes



D5AA03

15 50 044 023  1/-/-2

314 LED  3 m  Timer

↑ 1.8 m

 Green cable




8 592920 100288

**LAST
CHANCE**

**LAST
CHANCE**

Instructions



EMOS®


A brand of **legrand**



D5AA02

Multifunctional Chains

 **IP44**



8 multifunctional modes

cool white

D5AC06

15 50 052 005  1/-/-24

80 LED  Green cable  5 m

↔ 8 m



D5AC07

15 50 052 006  1/-/-12

200 LED  Green cable  5 m

↔ 20 m



EMOS®

A brand of **legrand**

8 multifunctional modes

multicolor

D5AM05

15 50 054 002  1/-/-24

80 LED  Green cable  5 m

↔ 8 m



8 592920 096147

D5AM06

15 50 054 003  1/-/-12

200 LED  Green cable  5 m

↔ 20 m




8 592920 096154





IP44



64 multifunctional modes



D5AA01

15 50 054 007



96 LED



5 m



Timer

↔ 10 m



Black cable



8 592920 096192




EMOS®

A brand of **legrand**

Standard Chains

IP44



D5AC02 15 50 052 000 1/-/24

80 LED 5 m Timer
↔ 8 m Green cable



D5AC03 15 50 052 001 1/-/12

200 LED 5 m Timer
↔ 20 m Green cable



D5AC04 15 50 052 002 1/-/8

300 LED 5 m Timer
↔ 30 m Green cable



D5AC05 15 50 052 003 1/-/6

480 LED 5 m Timer
↔ 48 m Green cable



warm white

D5AW02 15 50 050 000 1/-/-/24

80 LED 5 m Timer

↔ 8 m Green cable



D5AW03 15 50 050 001 1/-/-/12

200 LED 5 m Timer

↔ 20 m Green cable



D5AW04 15 50 050 002 1/-/-/8

300 LED 5 m Timer

↔ 30 m Green cable



D5AW05 15 50 050 003 1/-/-/6

480 LED 5 m Timer

↔ 48 m Green cable



multicolor

D5AM02 15 50 054 000 1/-/-/24

80 LED 5 m Timer

↔ 8 m Green cable



D5AM03 15 50 054 001 1/-/-/12

200 LED 5 m Timer

↔ 20 m Green cable



D5AM04 15 50 054 004 1/-/-/8

300 LED 5 m Timer

↔ 30 m Green cable



D5AM07 15 50 054 005 1/-/-/6

480 LED 5 m Timer

↔ 48 m Green cable




EMOS

A brand of **legrand**



Big Cherry Chains

 **IP44**



cool white

D5AC01

15 50 052 004 1/-/16

40 LED



5 m



Timer

↔ 4 m



White cable



8 592920 096093



warm white

D5AW01

15 50 050 004 1/-/16

40 LED



5 m



Timer


↔ 4 m



White cable



8 592920 096048





multicolor

D5AM01

15 50 054 006 1/-/16

40 LED 5 m Timer
 ↔ 4 m White cable



blue

D5AB01

15 50 055 001 1/-/16

40 LED 5 m Timer
 ↔ 4 m White cable



pink

D5AP01

15 50 055 002 1/-/16

40 LED 5 m Timer
 ↔ 4 m White cable



EMOS®

A brand of **legrand**

Christmas and Decorative LED Lights

TRADITIONAL



Chains

page 108



Cone Lights

page 110

Classic Christmas with a modern twist! If you remember the older type of Christmas lights, you will also remember how challenging they were to untangle, and when one of the bulbs burst, the whole string stopped working. Now, however, the situation is completely different and with the new „**Traditional**“ range we delight all lovers of retro bulb lights, which we offer in LED technology. This is a guarantee of long life and financial savings. If you are serious about your Christmas decorations, reach for the acrylic cone lights, which are shaped like little pinecones.



D4AW11




D4AM11



D5ZC01

Chains

 **IP44**



vintage

D4AW11 15 50 041 010  1/-/-16

120 LED  Green cable  5 m

↔ 17.85 m



D4AW12 15 50 041 011  1/-/-16

150 LED  Green cable  5 m

↔ 22.35 m



D4AW13 15 50 041 012  1/-/-12

180 LED  Green cable  5 m

↔ 26.85 m





multicolor

D4AM11 15 50 044 024 1/-/16

120 LED Green cable 5 m

↔ 17.85 m



D4AM12 15 50 044 025 1/-/16

150 LED Green cable 5 m

↔ 22.35 m




D4AM13 15 50 044 026 1/-/12

180 LED Green cable 5 m

↔ 26.85 m



Cone Lights



8 multifunctional
modes

cool white

D5ZC01

15 50 052 010  1/-/-/6

50 LED

 Green cable  5 m

$\leftrightarrow$ 9.8 m



8 multifunctional modes

warm white

D5ZW01

15 50 050 008 1/-/6

50 LED Green cable 5 m

↔ 9.8 m



8 592920 110744



8 multifunctional modes

multicolor

D5ZM01

15 50 054 011 1/-/6

50 LED Green cable 5 m

↔ 9.8 m



8 592920 100301



Christmas
and Home

LED DECORATIONS

Treat yourself to a fabulous Christmas! For a pleasant and warm festive atmosphere at home or, a magical show of decorations in the garden, you can enjoy a Christmas offer of various candlesticks, hanging decorations, garlands and figures. When deciding whether to purchase, it is advisable to consider whether you plan to place the decorations indoors or outdoors. Decorations for outdoor use can also be used indoors and a large number of them can be used all year round.



PAPER STAR
STAND
DCAZ13



ADVENT CALENDAR
TRUCK
DCWW32

CONE LIGHT
D5ZW01

DECO GIRLAND
DCGW04

CANDLE STAND
TREE
DCAW14

REINDEER
DCFC28

WOOD
SCENE
DCWW30

WATER LANTERN
CLOCK
DCLW24

WREATH
DCTW18

WATER LANTERN
DCLW25

NANO CHAINS
D3AW02


Christmas
and Home
LED Decorations

INDOOR



Stars

page 116



Candle Stands

page 118



Home Deco

page 122




Lanterns and Candles

page 136



Figures

page 140



Garlands

page 144




Trees and Wreaths

page 150



Projectors

page 154





There are never enough decorations at Christmas. Almost all of us want to make it clear that we are looking forward to the Christmas holidays. That's why it's essential to decorate your windows with lit hanging decorations, such as paper stars or typical candle holders and lanterns, which create an elegant look and brighten up any room at the same time. You can also choose from advent calendars or light-up figurines that are sure to delight children. Most of the interior decorations are battery-powered, so you don't have to worry about obstructing cables so nothing gets in the way of a perfect decorating experience.

Stars




IP20



DCAZ07 15 50 005 008  1/-/-/24
Ø 60 cm  E14  max. 25 W

8 592920 099391



 **DCAZ09** 15 50 005 010  1/-/-/24
Ø 60 cm  E14  max. 25 W

8 592920 099438

 **DCAZ08** 15 50 005 009  1/-/-/24
Ø 60 cm  E14  max. 25 W

8 592920 099414



DCAZ06 15 50 005 005  1/-/-/4
 Ø 45 cm  E14  max. 25 W
 ∩ 67 cm



DCAZ14 15 50 005 013  1/-/-/8
 Ø 45 cm  E14  max. 25 W
 ∩ 67 cm



DCAZ15 15 50 005 014  1/-/-/4
 Ø 45 cm  E14  max. 25 W
 ∩ 67 cm



Candle Stands

 IP20


warm white

DCAW13 15 50 000 105  1/-/-/65 LED  2× AA  Timer


↔ 24 cm

↑ 35.5 cm 8 

warm white

DCAW07 15 50 000 010  1/-/-/45 LED  2× AA  Timer


↔ 26 cm

↑ 40 cm 8 LAST
CHANCE

warm white

DCAW14 15 50 000 106  1/-/-/85 LED  2× AA  Timer

↔ 32.5 cm

↑ 24 cm 8 

warm white

DCAW01 15 50 000 002  1/-/-/1210 LED  3× AA  Timer

↔ 20 cm

↑ 24.5 cm 8 



warm white

DCAW11 15 50 000 065  1/-/-/12

7 LED  2× AA  Timer

↔ 35 cm

↑↓ 29 cm



8 592920 098417



warm white

DCAW12 15 50 000 066  1/-/-/12

7 LED  2× AA  Timer

↔ 35 cm

↑↓ 29 cm



8 592920 098431



warm white

DCAZ01 15 50 000 008  1/-/-/5

5 Lights  E10  1.5 m

↔ 38 cm

↑↓ 20 cm



8 592920 093283



warm white

DCAZ02 15 50 000 009  1/-/-/5

5 Lights  E10  1.5 m

↔ 38 cm

↑↓ 20 cm



8 592920 093290

LAST
CHANCE

LAST
CHANCE



DCAW13



DCAW15 15 50 000 123  1/-/-/6

5	LED		2× AA		Timer
↔	24 cm				
↑↓	24 cm				

8 592920 110881



DCAW02 15 50 000 003  1/-/-/6

19	LED		3× AA		Timer
↔	25 cm				
↑↓	28.5 cm				

8 592920 093238



DCAW03 15 50 000 004  1/-/-/6

17	LED		3× AA		Timer
↔	26.5 cm				
↑↓	28.5 cm				

8 592920 093245

LAST
CHANCE



DCAW04 15 50 000 005  1/-/-/6

20	LED		3× AA		Timer
↔	25 cm				
↑↓	27.5 cm				

8 592920 093252

Home Deco

 IP20



NEW

warm white

DCFW03 15 50 000 150  1/-/-/8

4 LED  3× AA

↔ 18 cm

↑↓ 27 cm



NEW

warm white

DCFW04 15 50 000 151  1/-/-/6

4 LED  3× AA

↔ 18 cm

↑↓ 25 cm



NEW

warm white

DCFW01 15 50 000 148  1/-/-/8

4 LED  3× AA

↔ 20 cm

↑↓ 35 cm



NEW

warm white

DCFW02 15 50 000 149  1/-/-/8

6 LED  3× AA

↔ 21 cm

↑↓ 31 cm





NEW

warm white

DCLW28

15 50 000 140



1/-/8

10 LED



3x AA



Timer

↔ 12 cm

↕ 11 cm





warm white

DCLW12 15 50 000 071  1/-/-1
17 LED  3× AA

↔ 29 cm

↑↓ 26 cm



8 592920 098523



warm white

DCLW11 15 50 000 070  1/-/-3
1 LED  3× AA

↔ 17.5 cm

↑↓ 21.5 cm



8 592920 098516



warm white

DCLW14 15 50 000 073  1/-/-3
16 LED  3× AA

↔ 27 cm

↑↓ 20.5 cm



8 592920 098561



warm white

DCLW15 15 50 000 074  1/-/-4
9 LED  3× AA

↔ 23 cm

↑↓ 15 cm



8 592920 098585



warm white

DCLW10

15 50 000 069

1/-/6

10 LED 3× AA

↔ 20 cm

↕ 13.7 cm 8 592920 098493



warm white

DCLW21

15 50 000 110

1/-/6

6 LED 3× AA

↔ 22 cm

↕ 12.5 cm 8 592920 111024



warm white



DCLW07 15 50 000 067  1/-/-8

3 LED  3× AA  Timer

↔ 10.5 cm
↑↓ 19.5 cm 8 592920 098455



warm white



DCLW20 15 50 000 109  1/-/-12

2 LED  3× AAA  Timer

↔ 10 cm
↑↓ 20 cm 8 592920 111000



warm white



DCLW25 15 50 000 125  1/-/-8

1 LED  3× AA  Timer

↔ 13.3 cm
↑↓ 21 cm 8 592920 110966



warm white



DCLW05 15 50 000 042  1/-/-4

1 LED  3× AA  Timer

↔ 16 cm
↑↓ 17 cm 8 592920 093627



warm white



DCLW18

15 50 000 099



1/-/6

1 LED



3x AA



Timer

↔ 10 cm

↑↓ 25 cm



8 592920 104408



warm white



DCLW24

15 50 000 124



1/-/6

2 LED



3x AA



Timer

↔ 14 cm

↑↓ 19 cm



8 592920 110942



warm white

DCTW03 15 50 000 026  1/-/-/8
5 LED  2× AA  Timer
↔ 14 cm
↕ 48 cm 8 592920 093467 



warm white

DCWW10 15 50 000 061  1/-/-/8
5 LED  2× AA  Timer
↔ 16 cm
↕ 48 cm 8 592920 098332 



warm white

DCWW13 15 50 000 064  1/-/-/8
3 LED  2× AA  Timer
↔ 12 cm
↕ 34 cm 8 592920 098394 



warm white

DCWW27 15 50 000 107  1/-/-/6
15 LED  2× AA  Timer
↔ 27 cm
↕ 40 cm 8 592920 110928 



warm white

DCWW24 15 50 000 102  1/-/-6

5 LED  2× AAA  Timer

↔ 20 cm
↕ 30 cm



warm white

DCWW07 15 50 000 035  1/-/-8

5 LED  2× AA  Timer

↔ 20 cm
↕ 30 cm



warm white

DCWW12 15 50 000 063  1/-/-8

7 LED  2× AA  Timer

↔ 11 cm
↕ 46 cm





DCLW08 15 50 000 068  1/-/-/4

10	LED		3× AA
↔	22 cm		
↕	12.5 cm	8 592920 098479	



DCLW09 15 50 003 001  1/-/-/4

10	LED		3× AA
↔	24 cm		
↕	10 cm	8 592920 099377	



DCLW19 15 50 000 108  1/-/-/8

1	LED		3× AA	 Timer
↔	20 cm			
↕	10 cm	8 592920 110980		




warm white

DCWW22		15 50 000 081		1/-/6
3	LED		2x AA	 Timer
↔	41.5 cm			
↕	14 cm			

8

592920098721



LAST
CHANCE

						warm white	
DCWW21		15 50 000 080				1/-/-2	
6	LED		2× AA		Timer		
↔	30 cm						
↕	16 cm						
		8		592920 098707			



				warm white	
DCWW30		15 50 000 113			1/-/-/4
12	LED		2× AA		Timer
↔	42 cm				
↕	31 cm				
		8 592920 111208			



					warm white	
DCWW14		15 50 000 045			1/-/-/8	
5	LED		3× AA		Timer	
↔	26 cm					
↕	19 cm					
		8 592920 098080				



			warm white		
DCWW31		15 50 000 121		 1/-/-/8	
6	LED		2× AA		
↔	26.3 cm				
↕	17 cm				
			8 592920 111161		

EMOS®

A brand of **legrand**



warm white

NEW

DCWW34

15 50 000 137

1/-/-/10

6 LED



2× AA



Timer

↔ 18.5 cm

↑ 15 cm



8 592920 122044



warm white

DCWW18 15 50 000 077  1/-/-6
3 LED  2× AA  Timer
↔ 16 cm
↑↓ 28.5 cm 8 592920 098646



LAST
CHANCE

warm white

DCWW17 15 50 000 048  1/-/-38
10 LED  2× AA  Timer
↔ 17 cm
↑↓ 22 cm 8 592920 098141



warm white

DCWW01 15 50 000 015  1/-/-4
10 LED  2× AA  Timer
↔ 50 cm
↑↓ 40 cm 8 592920 093351



warm white

DCWW02 15 50 000 016  1/-/-4
8 LED  2× AA  Timer
↔ 33 cm
↑↓ 35 cm 8 592920 093368



warm white

DCWW32

15 50 000 122

1/-/6

12 LED



2× AA



Timer

↔ 30.5 cm

↑ 20 cm



8 592920 111185

Lanterns and Candles

 IP20



vintage

DCLV16 15 50 001 026  1/-/-/12

1	LED	 1× CR2032	 Timer
↔	10 cm		
↕	18.5 cm	8 592920 111222	



vintage

DCLV11 15 50 000 085  1/-/-/4

12	LED	 3× AAA	
↔	12 cm		
↕	14 cm	8 592920 098806	



vintage

DCLV02 15 50 001 014  1/-/-/15

1	LED	 3× AAA	 Timer
↔	10.5 cm		
↕	24 cm	8 592920 093788	



vintage

DCLV01 15 50 001 013  1/-/-/15

1	LED	 3× AAA	 Timer
↔	10.5 cm		
↕	24 cm	8 592920 093771	



vintage

DCLV15 15 50 000 089  1/-/-2

3 LED  3× C

↔ 18 cm

↕ 35.5 cm 8  592920 098882



vintage

DCLV18 15 50 001 028  1/-/-6

1 LED  3× AAA

↔ 12.5 cm

↕ 26.5 cm 8  592920 111260



vintage

DCLV17 15 50 001 027  1/-/-12

1 LED  3× AAA

↔ 10.5 cm

↕ 23 cm 8  592920 111246



vintage

DCLV14 15 50 000 088  1/-/-9

1 LED  3× AAA

↔ 10 cm

↕ 20 cm 8  592920 098851



vintage

DCCV15 15 50 001 022  1/-/-/4
3× 1 LED  9× AAA  Timer
Ø 7.5 cm
↕ 10 cm
↕ 12.5 cm
↕ 15 cm



vintage

DCCV07 15 50 001 006  1/-/-/8
3× 1 LED  9× AAA  Timer
Ø 7.5 cm
↕ 10 cm
↕ 12.5 cm
↕ 15 cm



vintage

DCCV06 15 50 001 005  1/-/-/8
3× 1 LED  9× AAA  Timer
Ø 7.5 cm
↕ 10 cm
↕ 12.5 cm
↕ 15 cm



vintage

DCCV14 15 50 001 021  1/-/-6
2× 1 LED  4× AA  Timer
Ø 7.5 cm
↕ 12.5 cm



NEW



vintage

DCCV16

15 50 001 031

4/-/-24

4× 1 LED

⊕ 4× CR2032

Ø 5.8 cm

↕ 4.8 cm



vintage

DCCV11

15 50 001 010

6/-/-216

6× 1 LED

⊕ 6× CR2032

Ø 3.8 cm

↕ 3.8 cm



vintage

DCCV12

15 50 001 011

6/-/-216

6× 1 LED

⊕ 6× CR2032

Ø 3.8 cm

↕ 3.8 cm



vintage

DCCV13

15 50 001 012

6/-/-216

6× 1 LED

⊕ 6× CR2032

Ø 3.8 cm

↕ 3.8 cm



EMOS®

A brand of **legrand**



Figures

 IP20



warm white



DCFC14 15 50 000 075  1/-/-2

72 LED  3 m

↔↕ 15 cm

↔↕ 20 cm

↔↕ 25 cm



cool white

DCFC10 15 50 002 013  1/-/-2

72 LED  3 m  Timer

↔↕ 15 cm

↔↕ 20 cm

↔↕ 25 cm



warm white



DCFC27 15 50 000 119  1/-/-8

60 LED  5 m

↔↕ 11 cm

↔↕ 13.5 cm

↔↕ 20 cm





EMOS®

A brand of **Legrand**

warm white

DCFC28

15 50 000 120



1/-/4

50 LED



3× AA



Timer

↔ 60 cm

↑↓ 47 cm



8 592920 111062



cool white

DCFC01	15 50 002 004		1/-/1
120	LED		3 m
↔	39 cm		Timer
↑↓	124 cm		
8 592920 093894			



NEW

cool white

DCFC33

15 50 000 152



1/-/1

80 LED



5 m



Timer


↔ 50 cm

↑↓ 82 cm



Garlands

 IP20



NEW

warm white

DCGW12 15 50 000 126 1/-/-/3


115 LED 5 m

↔ 185 cm Silver cable

↕ 105 cm



8 592920 121900



NEW

cool white

DCGW13 15 50 000 127 1/-/-/6


60 LED 5 m

↔ 135 cm Silver cable

↕ 50 cm




8 592920 121924





DCGW13



NEW


DCGW14 15 50 000 128  1/-/-/4

70 LED  5 m

↔ 67 cm  Silver cable

↕ 125 cm


8 592920 121948



 cool white


DCGC01 15 50 002 001  1/-/-/24

10 LED  2× AA  Timer

↔ 135 cm  Transparent cable

↕ 10 cm


8 592920 093863





DCGW14

warm white

DCGW07 15 50 000 115  1/-/-48

20 LED  2× AA  Timer

↔ 190 cm  Silver cable



8 592920 111307



warm white

DCGW09 15 50 000 116  1/-/-48

20 LED  2× AA  Timer

↔ 190 cm  Gold cable



8 592920 111321



warm white

DCGW10 15 50 000 117  1/-/-36

20 LED  2× AA  Timer

↔ 190 cm  Silver cable



8 592920 111345



warm white

DCGW11 15 50 000 118  1/-/-36

20 LED  2× AA  Timer

↔ 190 cm  Silver cable



8 592920 111369





warm white

DCGW04

15 50 000 095

1/-/-/20

20

LED



2× AA



170 cm



Transparent cable



8 592920 098998

Trees and Wreaths

 IP20



DCTW06 15 50 000 038  1/-/-/2
20 LED  2× AA  Timer
Ø 38 cm 



DCTW15 15 50 000 093  1/-/-/2
20 LED  2× AA  Timer
Ø 40 cm 



 **DCTW05** 15 50 000 037  1/-/-/2
20 LED  2× AA  Timer
Ø 40 cm 



DCTW18 15 50 000 114  1/-/-/6
20 LED  3× AA  Timer
Ø 38 cm 



DCTW18



warm white

DCTW01 15 50 000 024  1/-/-2
20 LED  3× AA  Timer
↕ 52 cm 
8 592920 093443



warm white

DCTW04 15 50 000 027  1/-/-2
20 LED  3× AA  Timer
↕ 52 cm 
8 592920 093474



warm white

DCTW08 15 50 000 049  1/-/-14
24 LED  3× AA  Timer
↕ 60 cm 
8 592920 098165



LAST
CHANCE

warm white

DCTW16 15 50 000 094  1/-/-1
40 LED  3× AA  Timer
↔ 80 cm
↕ 75 cm 
8 592920 098974



DCTW01

Projectors

 IP20



cool white



DCPC05 15 50 002 016  1/-/-15

LED  3× AAA
Ø 7 cm
⇅ 15 cm 8  592920 094259



warm white

DCPW03 15 50 000 044  1/-/-15

LED  3× AAA
Ø 7 cm
⇅ 15 cm 8  592920 094242



warm white



DCPW05 15 50 000 097  1/-/-16

LED  3× AAA
Ø 9 cm
⇅ 10.5 cm 8  592920 099582



warm white

cool white



DCPW06 15 50 000 098  1/-/-9

LED  3× AA
Ø 11.5 cm
⇅ 12.5 cm 8  592920 099605



DCPW03


Christmas
and Home
LED Decorations

OUTDOOR



Figures

page 158



Acrylic Garlands

page 164



Garden Lights

page 166




Trees

page 178



Projectors

page 180



Memorial

page 184



DCCF21



DCPC07



DCTW11



DCGW01



DCGW01



DCFC25

With outdoor decorations, you will provide a fabulous spectacle not only for the neighbours, but also for passers-by. For garden owners, we offer light-up characters and animals that will be especially appreciated by the little ones. For a more subtle decoration, you can use a wide selection of pinable garden decorations or hanging garlands in the form of stalactites and party bulbs. On the other hand, for those who want to be unmissable, we recommend projectors for lighting the whole house. All decorations come with a 3, 4 or 5 m long power cord, so you can turn on your light decorations conveniently from your garage or house.

Figures

 IP44



cool white



DCFC29

15 50 002 042

 1/-/-/4

80 LED

 5 m

↕ 90 cm



8 592920 111086



cool white



DCCF21

15 50 002 035

 1/-/-/6

4 LED

 5 m

↕ 200 cm



8 592920 111109

EMOS®

A brand of **legrand**



cool white

DCFC15

15 50 002 022

1/-/2

4 LED

5 m

240 cm



8 592920 099155



cool white

DCFC25

15 50 002 040

 1/-/-6

30

LED

 5 m

↔

15 cm



↕

11 cm

8 592920 111406



cool white

DCFC24

15 50 002 039



1/-/6

30 LED



5 m

↔ 22 cm

↑↓ 30.5 cm



8 592920 111123



cool white

DCFC19 15 50 002 026  1/-/3

40 LED  5 m

↔ 17 cm

↕ 46 cm



cool white

DCFC18 15 50 002 025  1/-/1

40 LED  5 m  Timer

↔ 30 cm

↕ 36 cm



cool white

**LAST
CHANCE**

DCFC17 15 50 002 024  1/-/1

40 LED  5 m  Timer

↔ 26 cm

↕ 39 cm






				cool white	
DCFC06		15 50 002 009			1/-/-2
40	LED		5 m		Timer
↔	31 cm				
↕	27 cm				



**LAST
CHANCE**


				cool white	
DCFC16		15 50 002 023			1/-/-3
40	LED		5 m		Timer
↔	20 cm				
↕	28 cm				

Acrylic Garlands




warm white

DCGW01 15 50 000 028 1/-/-8
30 LED ⌚ Timer
↔ 90 cm
↕ 120 cm 8 592920 093481



warm white

DCGW02 15 50 000 029 1/-/-10
8 LED
↔ 84 cm
↕ 45 cm 8 592920 093498




warm white

DCGW06 15 50 000 101 1/-/-10
8 LED
↔ 84 cm
↕ 45 cm 8 592920 104453




DCGW02


Garden Lights



6 ICICLE TUBES cool white
DCPC06 15 50 002 032 1/-/-15
160 LED Transparent cable
↔ 360 cm
↕ 25 cm
↕ 30 cm
↕ 40 cm



10 ICICLE TUBES cool white
DCPC01 15 50 002 000 1/-/-6
140 LED Transparent cable
↔ 360 cm
↕ 29 cm



12 ICICLE TUBES cool white
DCPC07 15 50 002 033 1/-/-4
60 LED Transparent cable
↔ 360 cm
↕ 33 cm
↕ 39 cm





DCPC07

10 PARTY BULBS

LED lights



cool white



DCPC08

15 50 002 043



1/-/-16

10 LED



5 m



Black cable

↔ 450 cm



8 592920 110805



20 PARTY BULBS

LED lights



warm white

DCPW07

15 50 005 019



1/-/-16

20 LED



5 m



Black cable

↔ 760 cm



8 592920 110829



IP44

16 PARTY BULBS

LED lights




warm white

DCPW04 15 50 005 016 1/-/6

16 LED 5 m Black cable

↔ 760 cm



EMOS®

A brand of legrand

10 PARTY BULBS

LED lights



vintage



DCPV01

15 50 001 023



1/-/8

100 LED



5 m



Black cable

↔ 450 cm



10 PARTY BULBS

LED lights



warm white

DCPW02 15 50 000 001  1/-/-/6

50 LED  5 m  Black cable

↔ 500 cm 
8 592920 093214



10 PARTY BULBS

LED lights



warm white

DCPW01 15 50 000 000  1/-/-/6

50 LED  5 m  Black cable

↔ 500 cm 
8 592920 093207



10 PARTY BULBS

LED lights



multicolor

DCPM01 15 50 004 000  1/-/-/6

50 LED  5 m  Black cable

↔ 500 cm 
8 592920 094013



 IP44

EMOS®

A brand of  **legrand**

10 PARTY BULBS lights



 Bulb
is not
included

DCPZ01 15 50 005 000  1/-/-2

 10× E27  15 W max. 750 W

 Black cable

 735 cm 8 

10 PARTY BULBS lights



 Bulb
is not
included

DCPZ02 15 50 005 001  1/-/-2

 10× E27  15 W max. 750 W

 Black cable

 735 cm 8 



DCPZ01



warm white

DCZW07 15 50 000 092  1/-/-/24

180 LED  5 m  Timer

↔ 200 cm
↑↓ 65 cm



cool white

DCZC03 15 50 002 029  1/-/-/24

180 LED  5 m  Timer

↔ 200 cm
↑↓ 65 cm



IP44

EMOS®

A brand of legrand



		cool white	
DCZC02	15 50 005 015		1/-/4
3x 72 LED		5 m	
↔ 31 cm			
↑↓ 60 cm			



LAST
CHANCE

		cool white	
DCLC01	15 50 002 030		1/-/8
4x 1 LED		3 m	
↔ 6.5 cm			
↑↓ 27 cm			



LAST
CHANCE

warm white

DCZW05 15 50 000 090  1/-/-5


90 LED  3 m

↔ 30 cm

↕ 50 cm



8 592920 098905



LAST
CHANCE

warm white

DCZW06 15 50 000 091  1/-/-5

90 LED  3 m

↔ 50 cm


↕ 56 cm



8 592920 098929



 IP44




cool white

DCTC02 15 50 002 003  1/-/-4

180 LED  4 m  Timer

↑ 180 cm



warm white

DCTW02 15 50 000 025  1/-/-4

180 LED  4 m  Timer

↑ 180 cm



EMOS®

A brand of  **legrand**



DCTW02



cool white

DCZC01 15 50 002 014  1/-/-/10

5 LED  3× AA  Timer

↔ 120 cm

↕ 35 cm 8  592920 093993



warm white

DCZW01 15 50 000 018  1/-/-/10

5 LED  3× AA  Timer

↔ 120 cm

↕ 35 cm 8  592920 093382



IP44



cool white

LAST
CHANCE

DCLC02

15 50 002 031

1/-/-/8

4× 1 LED



3 m

↔ 6.5 cm

↕ 11.5 cm



8 592920 099315



EMOS®

A brand of **legrand**



vintage



DCLW17

15 50 001 025

1/-/-/2

1 LED



3× AAA

↔ 15 cm

↕ 60 cm



8 592920 099117



Trees

 IP44

cool white

DCTC04

15 50 002 028

 1/-/-/6

72 LED

 3 m

↕ 120 cm







warm white

DCTW13

15 50 000 083

 1/-/-/6

72 LED

 3 m

↕ 120 cm



A decorative tree light fixture with warm white LEDs, illuminated at night. The tree has a slender trunk and a dense canopy of lights that form a heart-like shape. The background is dark, and the ground is covered in grass.

178



warm white

DCTW14

15 50 000 084



1/-/4

48

LED



5 m



Timer



120 cm



8 592920 098783

Projectors

 IP44



Installation



DCPC04

15 50 002 017

1/-/-20

LED

3 m





DCPC04



cool white

DCPC02

15 50 005 006

 1/-/20

LED

 3 m



8 592920 094297





warm white

cool white

DCPN01

15 50 003 000

1/-/-16


LED



3 m



8 592920 094273



cool white

DCPC03

15 50 005 007

1/-/-16

LED



3 m



8 592920 094303



EMOS®

A brand of **Legend**

Memorial



vintage

DCCV22 15 50 001 029 1/-/-24

1	LED		2× AA
Ø	7.5 cm		
↕	25 cm	8	592920 111383



vintage

DCCV21 15 50 001 024 1/-/-24

1	LED		2× C		Timer
Ø	7 cm				
↕	12.5 cm	8	592920 099094		



warm white

DCCV19 15 50 000 056 1/-/-35

1	LED		2× C		Timer
Ø	7 cm				
↕	12.5 cm	8	592920 098295		



warm white

DCCV20 15 50 000 057 1/-/-35

1	LED		2× C
Ø	7 cm		
↕	12.5 cm	8	592920 098318



vintage

DCLW17

15 50 001 025



1/-/2

1 LED



3× AAA

↔ 15 cm

↑↓ 60 cm



8 592920 099117

EMOS GoSmart

Smart living even more accessible

Create your own smart home with EMOS GoSmart and other TUYA-compatible smart devices. Connect individual products, set up automation for their activities and control them remotely with a fully localised and intuitive mobile app.




HOME SECURITY

- Indoor IP cameras
- Outdoor IP cameras
- Video door phones
- Video doorbells
- Door sensors
- Cylinder locks
- PIR sensors



MEASUREMENT AND CONTROL

- Thermostats
- Weather stations



WIRING AND CONTROL

- Scenic switches
- ZigBee gateways
- Extension cords
- Sockets



LUMINAIRES AND LIGHT SOURCES

- Bulbs
- Strips
- Luminaires



HOME AND GARDEN

- Scales
- Feeders



EMOS GoSmart



EMOS GoSmart is here to make your life more pleasant, safer and more comfortable.



www.emosgosmart.eu

EMOS GoSmart products

Optimal price/quality ratio

With the affordable prices and excellent quality of EMOS GoSmart products, the smart home system becomes accessible to everyone. You can easily create your smart home without complicated renovation and equipment installation.



WIDE RANGE OF PRODUCTS

Dozens of EMOS GoSmart products are developed together with the world's leading manufacturers in the industry.



OPTIMAL PRICE AND QUALITY

EMOS GoSmart products are subject to quality control directly at the manufacturer's and in our laboratory.



THE ONLY MOBILE APP

The EMOS GoSmart app allows you to control your device via your mobile phone from anywhere.



TECHNICAL SUPPORT

We provide technical support and help to get EMOS GoSmart products up and running.



COMPATIBILITY AND EXPANDABILITY

Expand your smart home with EMOS GoSmart products and thousands of other TUYA compatible products.



Advanced technology

EMOS GoSmart products communicate via Wi-Fi network, Bluetooth or ZigBee communication protocols. You can even use voice control thanks to their compatibility with Amazon Alexa and Google Assistant.



ZigBee



Works with
Alexa,
Google Assistant



Powered by




Data security and compatibility

EMOS GoSmart priorities

The basis of the EMOS GoSmart system is the **global TUYA platform**. This platform meets the most demanding security requirements and, using encrypted communication, allows you to connect the devices in your smart home, keeping them compatible and easy to use.

Renowned brands that have chosen **TUYA platform** for their smart devices include **HAMA, LIDL, LEDVANCE, PHILIPS** and many others.



EMOS GoSmart app

Full localisation and ease of use

The EMOS GoSmart app makes it easy to control all your smart home devices via your **Android** or **iOS** mobile phone or tablet. The perfect localisation allows you to communicate with the app in your native language.



Control multiple devices



Never miss a visit



Create and use smart scenarios



Connect from anywhere



Share with your family with one tap



Without complicated settings, you can keep track of any activities in your home with the **EMOS GoSmart** app and control conveniently all your devices remotely.



FULL LOCALISATION

The full localisation allows you to communicate with the app in your native language.



EASY TO USE

You don't have to worry about complicated app controls. Anyone can handle it.



SMART SCENARIOS

Have your products work together using the smart scenarios.



DEVICE MANAGEMENT

All your smart home devices can be controlled from anywhere using the app.



SMART NOTIFICATIONS



The app sends you notifications about any activity in your home.

EMOS GoSmart is here to make your life more pleasant, safer and more comfortable.



Extension cords and sockets

Keep track of your electricity consumption with smart extension leads and sockets, switch them off and on remotely using your mobile device. Save money and time.



GoSmart Extension cords and sockets


Extension cord with four smart sockets and indoor or outdoor smart power sockets ensures your home running safely and efficiently. These give you control of your connected appliances from anywhere via your mobile phone or tablet.

- switching appliances on and off remotely using your mobile phone
- operation automation of the connected devices
- energy saving and consumption monitoring



GoSmart Extension cords P1412ST

- colour: white/black
- maximum load: 3 680 W
- conductor: H05VV-F3G
- type of insulation: PVC
- children protection



Order Code
P1412ST



GoSmart Socket IP-3001F

- colour: white
- maximum load: 3 680 W
- number of switching per day: unlimited
- minimal time setting: 1 minute



Order Code
P5551



GoSmart Socket IP-3005F

- colour: black
- maximum load: 3 680 W
- number of switching per day: unlimited
- minimal time setting: 1 minute



Order Code
P5552



GoSmart

Multifunctional ZigBee gateway

The ZigBee gateway acts as a base unit for smart home and provide connectivity to other sensors and products into one centrally controlled unit. It allows their automations settings.


- Wi-Fi/ZigBee 3.0/BLE/SigMesh communication protocols
- easy installation and connection with other sensors and products
- miniature size



GoSmart Multifunctional ZigBee gateway IP-1000Z

- maximum number of connected clients: 50
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi/Zigbee 3.0/BLE/SigMesh
- pairing: automatic, manual
- use: automation
- number of control buttons: 1
- power supply: 5 V DC/1.0 A

Order Code
H5001



GoSmart

Extension cords and sockets


Extension cord with four smart sockets and indoor or outdoor smart power sockets ensures your home running safely and efficiently. These give you control of your connected appliances from anywhere via your mobile phone or tablet.

- switching appliances on and off remotely using your mobile phone
- operation automation of the connected devices
- energy saving and consumption monitoring



GoSmart Extension cords P1422ST

- colour: white/black
- maximum load: 3 680 W
- type of insulation: PVC
- conductor: H05VV-F3G 1.5 mm²
- children protection



Order Code
P1422ST



GoSmart Socket IP-3002S

- colour: white
- maximum load: 3 680 W
- number of switching per day: unlimited
- minimal time setting: 1 minute



Order Code
P5531




GoSmart Socket IP-3006S

- colour: black
- maximum load: 3 680 W
- number of switching per day: unlimited
- minimal time setting: 1 minute



Order Code
P5532





Scenic switches

Control multiple home electrical devices or lights at once with a single button. With this sophisticated type of switch, you can program different scenes or light effect settings and activate them simply afterwards.



Powered by



Download on the
App Store

GET IT ON
Google Play

Works with
Amazon Alexa
Google Assistant

ZigBee
3.0



GoSmart Portable Scene Controller IP-2001ZW, ZigBee 3.0

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 1
- power supply: CR 2430 3 V



Order Code
H5011



8 592920 121221



GoSmart Portable Scene Controller IP-2002ZW, ZigBee 3.0

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 2
- power supply: CR 2430 3 V



Order Code
H5012




8 592920 121474



GoSmart Portable Scene Controller IP-2004ZW, ZigBee 3.0

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 4
- power supply: CR 2430 3 V



Order Code
H5013



8 592920 121498

How do they work?

Scenic switches link up with other smart home devices using a Zigbee gateway connected to your home WIFI network. You can set up the individual scenes using the EMOS GoSmart mobile app.

A special function can be set up for each of the three button positions. Has the sun started to shine and the outside temperature risen? At the touch of a button, you can switch off the room lights, pull down the roller blinds and activate the humidifier all at once.



ZigBee
3.0



GoSmart Portable Scene Controller IP-2001ZB, ZigBee 3.0

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 1
- power supply: CR 2430 3 V



Order Code
H5014



8 592920 121511



GoSmart Portable Scene Controller IP-2002ZB, ZigBee 3.0

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 2
- power supply: CR 2430 3 V



Order Code
H5015



8 592920 121535



GoSmart Portable Scene Controller IP-2004ZB, ZigBee 3.0

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 4
- power supply: CR 2430 3 V



Order Code
H5016



8 592920 121559

Accessories French



P1312Z 19 02 130 203  1/5/-/20

↔ 2 m

 Green cable

250 V~/16 A max. / Σ 3 680 W max. /
H05VV-F3G 1.0 mm² / PVC



8 592920 116562



P0115Z 19 12 310 500  1/5/-/20

↔ 5 m

 Green cable

250 V~/10 A max. / Σ 2 300 W max. /
H05VV-F3G 1 mm² / PVC



8 595025 378491



P01705 19 02 010 500  1/-/-/20

↔ 5 m

 Black cable

230 V~/16 A max. / Σ 3 680 W max.
H07RN-F3G 1.5 mm² / IP44 /
Rubber + neoprene



8 592920 069974



P01710 19 01 211 000  1/-/-/6

↔ 10 m

 Black cable

230 V~/16 A max. / Σ 3 680 W max.
H07RN-F3G 1.5 mm² / IP44 /
Rubber + neoprene



8 592920 011027



P01720 19 01 212 000  1/-/-/4

↔ 20 m

 Black cable

230 V~/16 A max. / Σ 3 680 W max.
H07RN-F3G 1.5 mm² / IP44 /
Rubber + neoprene



8 592920 011034



P01730 19 01 213 000  1/-/-/2

↔ 30 m

 Black cable

230 V~/16 A max. / Σ 3 680 W max.
H07RN-F3G 1.5 mm² / IP44 /
Rubber + neoprene



8 592920 011041



P00271 19 05 110 002  1/-/4/40

250 V~/16 A max. / Σ 3 680 W max. / IP44



8 592920 078310



P0027 19 05 110 000  1/5/80/160

250 V~/10 A max. / 2 300 W max. / IP20



8 595025 390356



P0026S 19 05 130 003  1/5/45/90

250 V~/10 A max. / 2 300 W max. / IP20



8 592920 111628



P0062 19 05 120 000  1/5/-/30

250 V~/16 A max. / Σ 3 680 W max. / IP20



8 592920 036877



P5503 19 07 010 020  1/-/10/20

230 V~/16 A max. / Σ 3 680 W max. / IP20



8 595025 319753



P5504 19 07 010 030  1/4/-/36

230 V~/16 A max. / Σ 3 680 W max. / IP20



8 595025 388254



P5507 19 07 110 030  1/-/4/12
230 V~/16 A max. / Σ 3 680 W max. / IP44

8 592920 000427



P5506 19 07 110 020  1/-/4/16
230 V~/8.7 A max. / Σ 2 000 W max. / IP20

8 595025 392282



P5501 19 07 110 010  1/2/8/24
230 V~/16 A max. / Σ 3 680 W max. / IP20

8 595025 319746



P0070 19 05 120 004  1/-/3/18
230 V~/4.35 A max. / Σ 1 000 W max. / IP20

8 592920 076217



P0067 19 05 110 001  1/-/-/18
250 V~/13 A max. / Σ 3 000 W max. / IP44

8 592920 073018

Accessories Schuko



P1323R 19 22 130 308  1/5/-/20

↔ 3 m  White cable

250 V~/16 A max. / Σ 3 680 W max. /
H05VV-F3G 1.5 mm² / PVC



8 592920 016350



P0125R 19 21 010 503  1/5/-/20

↔ 5 m  White cable

250 V~/16 A max. / Σ 3 680 W max. /
H05VV-F3G 1.5 mm² / PVC



8 592920 064481



P01805 19 21 010 504  1/-/-/20

↔ 5 m  Black cable

230 V~/16 A max. / Σ 3 680 W max. /
H07RN-F3G 1.5 mm² / IP44 /
Rubber + neoprene



8 592920 064566



P01810 19 21 031 000  1/-/-/6

↔ 10 m  Black cable

230 V~/16 A max. / Σ 3 680 W max. /
H07RN-F3G 1.5 mm² / IP44 /
Rubber + neoprene



8 592920 011058



P01820 19 21 032 000  1/-/-/2

↔ 20 m  Black cable

230 V~/16 A max. / Σ 3 680 W max. /
H07RN-F3G 1.5 mm² / IP44 /
Rubber + neoprene



8 592920 011065



P01830 19 21 033 000  1/-/-/2

↔ 30 m  Black cable

230 V~/16 A max. / Σ 3 680 W max. /
H07RN-F3G 1.5 mm² / IP44 /
Rubber + neoprene



8 592920 011072



P00262 19 25 030 040  1/5/80/160
250 V~/16 A max. / Σ 3 680 W max. / IP20

8 595025 390820



P00292 19 25 030 090  1/-/4/40
250 V~/16 A max. / Σ 3 680 W max. / IP44

8 592920 078242



P0063 19 05 120 010  1/5/-/30
250 V~/16 A max. / Σ 3 680 W max. / IP20

8 592920 036907



P00252 19 25 030 030  1/5/40/80
250 V~/10 A max. / Σ 2 300 W max. / IP20

8 595025 390790



P5522 19 27 010 010  1/-/4/16
230 V~/16 A max. / Σ 3 680 W max. / IP20

8 595025 324771



P5525 19 27 110 020  1/-/4/12
230 V~/16 A max. / Σ 3 680 W max. / IP44

8 592920 000465



P0068 19 05 111 001  1/-/-/18
230 V~/13 A max. / Σ 3 000 W max. /
50 Hz / IP44

8 592920 073001



P0069 19 05 120 030  1/-/3/18
230 V~/4.35 A max. / Σ 1 000 W max. / IP20

8 592920 076163



P5526N 19 27 110 033  1/-/4/16
230 V~/16 A max. / Σ 3 680 W max. / IP44

8 592920 117910



P5523N 19 27 010 023  1/-/4/16
230 V~/16 A max. / Σ 3 680 W max. / IP20

8 592920 117859



P5521N 19 27 110 012  1/-/4/16
230 V~/16 A max. / Σ 3 680 W max. / IP20

8 592920 117880

Accessories Batteries



B1310T2 10 13 200 126  288/-/288/1 152

288× AAA SUPER LR03 / 1.5 V



0 4 8 9 1 1 9 9 1 8 5 3 6 6



B1320T2 10 13 200 125  288/-/288/576

288× AA SUPER LR6 / 1.5 V



0 4 8 9 1 1 9 9 1 8 5 3 4 2



B1310G 10 13 100 102  10/320/-/960

10× AAA SUPER LR03 / 1.5 V



4 891199 141935



B1320G 10 13 200 102  10/-/160/480

10× AA SUPER LR06 / 1.5 V



4 891199 141904



B15324V 10 42 203 218  4/-/40/2 400

4× CR2032 CR2032 / 3 V / 240 mAh



4 891199 204425



B13304 10 13 304 000  4/-/48/192

4× C SUPER LR14 / 1.5 V



4 891199 064999



B7911 13 20 114 000 4/-/40/320

4× AAA RAVER LR03 / 1.5 V



8 595025 345899



B7921 13 20 214 000 4/-/40/320

4× AA RAVER LR6 / 1.5 V



8 595025 345882



B79118 13 20 118 000 8/-/96/960

8× AAA RAVER LR03 / 1.5 V



8 595025 348630



B79218 13 20 218 000 8/-/96/960

8× AA RAVER LR6 / 1.5 V



8 595025 348609



B7332 13 26 023 205 5/-/150/1 800

5× CR2032 CR2032 / 3 V / 220 mAh



8 592920 018705



B7931 13 20 312 000 2/-/24/144

2× C RAVER LR14 / 1.5 V



8 592920 016770

Accessories LED Bulbs



warm white

ZF3220

15 25 281 223 

1/-/10/60

LED / E14 / Candle / 470 lm /
2 700 K / 3.4 W / 25 000 h / 230 V~ / 50 Hz



8 592920 114971



warm white

ZF1220

15 25 281 226 

1/-/10/60

LED / E14 / Mini Globe / 470 lm /
2 700 K / 3.4 W / 25 000 h / 230 V~ / 50 Hz



8 592920 115114



warm white

ZF1200

15 25 281 225 

1/-/10/60

LED / E14 / Mini Globe / 250 lm /
2 700 K / 1.8 W / 25 000 h / 230 V~ / 50 Hz



8 592920 115060



warm white

ZF3200

15 25 281 222 

1/-/10/60

LED / E14 / Candle / 250 lm /
2 700 K / 1.8 W / 25 000 h / 230 V~ / 50 Hz



8 592920 114919



warm white

ZF1100

15 25 283 269 

1/-/10/60

LED / E27 / Mini Globe / 250 lm /
2 700 K / 1.8 W / 25 000 h / 230 V~ / 50 Hz



8 592920 115206



warm white

ZF1120

15 25 283 270 

1/-/10/60

LED / E27 / Mini Globe / 470 lm /
2 700 K / 3.4 W / 25 000 h / 230 V~ / 50 Hz



8 592920 115268

Index

B1310G	200	D2AC04	36	D3EW04.....	66	D4BC04	88
B1310T2	200	D2AC05	38	D3FC01	58	D4BC05	86
B1320G	200	D2AN01	36	D3FW01	58	D4BM02.....	89
B1320T2	200	D2AW01.....	36	D4AA02	72	D4BM03.....	89
B7332	201	D2AW02.....	38	D4AA03	72	D4BM04.....	89
B7911	201	D2AW03.....	36	D4AA04	72	D4BM05.....	86
B7921	201	D2AW04.....	38	D4AC01	80	D4BV02	87
B7931	201	D2BC01	44	D4AC02	80	D4BV03	87
B13304	200	D2BW01.....	44	D4AC03	80	D4BV04	87
B15324V	200	D2CC01	40	D4AC04	80	D4BW02.....	89
B79118	201	D2CC02	42	D4AC05	80	D4BW03.....	89
B79218	201	D2CC03	40	D4AC06	80	D4BW04.....	89
D1AB01	20	D2CC04	42	D4AC08	76	D4BW08.....	86
D1AC01	15	D2CN01	40	D4AC09	76	D4CC01	90
D1AC02	18	D2CN02	42	D4AC10	76	D4CC02	92
D1AC03	18	D2CW01.....	40	D4AH01	79	D4CC03	90
D1AF01	20	D2CW02.....	42	D4AJ01	79	D4CW01.....	91
D1AG01	20	D2CW03.....	40	D4AL05	78	D4CW02.....	93
D1AM01.....	15	D2CW04.....	42	D4AM01.....	83	D4CW03.....	91
D1AM02.....	18	D2ZB01	34	D4AM02.....	83	D4FC01	84
D1AM03.....	18	D2ZW01.....	34	D4AM03.....	83	D4FC02	84
D1AN01	22	D3AC01	55	D4AM04.....	83	D4FC03	84
D1AN02	4	D3AC02	55	D4AM05	83	D4FW01.....	85
D1AN02	22	D3AC03	52	D4AM06.....	83	D4FW02.....	85
D1AR01	21	D3AC04	52	D4AM08.....	77	D4FW03.....	85
D1AW01.....	15	D3AC05	52	D4AM09.....	77	D4ZR01	70
D1AW02.....	18	D3AC06	56	D4AM10.....	77	D4ZR02	70
D1AW03.....	18	D3AC07	56	D4AM11.....	109	D4ZR03	70
D1CC01	24	D3AC08	51	D4AM12.....	109	D4ZR04	70
D1CC02	24	D3AC09	51	D4AM13.....	109	D5AA01	100
D1CC03	14	D3AC10	51	D4AN01	75	D5AA02	96
D1CD01	24	D3AM01.....	53	D4AN02	75	D5AA03	96
D1CN01	24	D3AM02.....	53	D4AN03	75	D5AB01	105
D1CW01.....	24	D3AM03.....	53	D4AN04	74	D5AC01	104
D1CW02.....	14	D3AM04.....	56	D4AN05	74	D5AC02	102
D1DC01	28	D3AW01.....	55	D4AN06	74	D5AC03	102
D1DW01.....	28	D3AW02.....	55	D4AV02	82	D5AC04	102
D1EC01	26	D3AW03.....	53	D4AV03	82	D5AC05	102
D1EW01.....	26	D3AW04.....	53	D4AV04	82	D5AC06	98
D1ZB01	16	D3AW05.....	53	D4AW01.....	81	D5AC07	98
D1ZB02	16	D3AW06.....	56	D4AW02.....	81	D5AM01.....	105
D1ZB03	16	D3AW07.....	56	D4AW03.....	81	D5AM02.....	103
D1ZB05	16	D3AW08.....	50	D4AW04.....	81	D5AM03.....	103
D1ZB05	34	D3AW09.....	51	D4AW05.....	81	D5AM04.....	103
D1ZC01	30	D3AW10.....	51	D4AW06.....	81	D5AM05.....	99
D1ZT01	16	D3AW11.....	51	D4AW07.....	77	D5AM06.....	99
D1ZT01	34	D3AW15.....	62	D4AW08.....	77	D5AM07.....	103
D1ZW01.....	30	D3AW16.....	62	D4AW09.....	77	D5AP01	105
D1ZW02.....	16	D3CW01.....	64	D4AW11.....	108	D5AW01.....	104
D1ZW02.....	34	D3CW02.....	64	D4AW12.....	108	D5AW02.....	103
D2AC01	36	D3EW01.....	66	D4AW13.....	108	D5AW03.....	103
D2AC02	38	D3EW02.....	66	D4BC02	88	D5AW04.....	103
D2AC03	36	D3EW03.....	66	D4BC03	88	D5AW05.....	103

D5ZC01	110	DCGC01	146	DCPW01	170	H5012	192
D5ZM01	111	DCGW01	164	DCPW02	170	H5013	192
D5ZW01	111	DCGW02	164	DCPW03	154	H5014	193
DCAW01	118	DCGW02	165	DCPW03	155	H5015	193
DCAW02	121	DCGW04	149	DCPW04	169	H5016	193
DCAW03	121	DCGW06	164	DCPW05	154	P0026S	195
DCAW04	121	DCGW07	148	DCPW06	154	P0027	195
DCAW07	118	DCGW09	148	DCPW07	168	P0062	195
DCAW11	119	DCGW10	148	DCPZ01	171	P0063	198
DCAW12	119	DCGW11	148	DCPZ01	171	P0067	196
DCAW13	118	DCGW12	144	DCPZ02	171	P0068	199
DCAW14	118	DCGW13	144	DCTC02	175	P0069	199
DCAW15	121	DCGW14	146	DCTC04	178	P0070	196
DCAZ01	119	DCLC01	173	DCTW01	152	P0115Z	194
DCAZ02	119	DCLC02	177	DCTW01	153	P0125R	197
DCAZ06	117	DCLV01	136	DCTW02	175	P00252	198
DCAZ07	116	DCLV02	136	DCTW03	128	P00262	198
DCAZ08	116	DCLV11	136	DCTW04	152	P00271	195
DCAZ09	116	DCLV14	137	DCTW05	150	P00292	198
DCAZ14	117	DCLV15	137	DCTW06	150	P1312Z	194
DCAZ15	117	DCLV16	136	DCTW08	152	P1323R	197
DCCF21	158	DCLV17	137	DCTW13	178	P1412ST	190
DCCV06	138	DCLV18	137	DCTW14	179	P1422ST	191
DCCV07	138	DCLW05	126	DCTW15	150	P01705	194
DCCV11	139	DCLW07	126	DCTW16	152	P01710	194
DCCV12	139	DCLW08	130	DCTW18	150	P01720	194
DCCV13	139	DCLW09	130	DCTW18	151	P01730	194
DCCV14	138	DCLW10	125	DCWW01	134	P01805	197
DCCV15	138	DCLW11	124	DCWW02	134	P01810	197
DCCV16	139	DCLW12	124	DCWW07	129	P01820	197
DCCV19	184	DCLW14	124	DCWW10	128	P01830	197
DCCV20	184	DCLW15	124	DCWW12	129	P5501	196
DCCV21	184	DCLW17	177	DCWW13	128	P5503	195
DCCV22	184	DCLW17	185	DCWW14	132	P5504	195
DCFC01	142	DCLW18	127	DCWW17	134	P5506	196
DCFC06	163	DCLW19	130	DCWW18	134	P5507	196
DCFC10	140	DCLW20	126	DCWW21	132	P5521N	199
DCFC14	140	DCLW21	125	DCWW22	131	P5522	198
DCFC15	159	DCLW24	127	DCWW24	129	P5523N	199
DCFC16	163	DCLW25	126	DCWW27	128	P5525	198
DCFC17	162	DCLW28	123	DCWW30	132	P5526N	199
DCFC18	162	DCPC01	166	DCWW31	132	P5531	191
DCFC19	162	DCPC02	182	DCWW32	135	P5532	191
DCFC24	161	DCPC03	183	DCWW34	133	P5551	190
DCFC25	160	DCPC04	180	DCZC01	176	P5552	190
DCFC27	140	DCPC05	154	DCZC02	173	ZF1100	202
DCFC28	141	DCPC06	166	DCZC03	172	ZF1120	202
DCFC29	158	DCPC07	166	DCZW01	176	ZF1200	202
DCFC33	143	DCPC07	167	DCZW05	174	ZF1220	202
DCFW01	122	DCPC08	168	DCZW06	174	ZF3200	202
DCFW02	122	DCPM01	170	DCZW07	172	ZF3220	202
DCFW03	122	DCPN01	183	H5001	191		
DCFW04	122	DCPV01	169	H5011	192		



SPEED
AND EASY OF
COMMUNICATION

Making Life Easy

EMOS spol. s r.o.
Lipnická 2844
750 02 Prerov
Czech Republic

e-mail: orders@emos.cz
phone: +420 581 261 207
fax: +420 581 261 112

www.emos.eu

Y10968



8 592920 122563